

Marton Palou / List of papers

1. Palou, Martin; Kuzielova, Eva; Zemlicka, Matus; Novotny, Radoslav; Masilko, Jiri. The effect of metakaolin upon the formation of ettringite in metakaolin-lime-gypsum ternary systems. In *Journal of Thermal Analysis and Calorimetry*, Volume: 133, Issue: 1, Pages: 77-86, DOI: 10.1007/s10973-017-6885-0, 2018
2. Kuzielova, Eva; Zemlicka, Matus; Masilko, Jiri; Palou, Martin T.. Effect of additives on the performance of Dyckerhoff cement, Class G, submitted to simulated hydrothermal curing. In *Journal of Thermal Analysis and Calorimetry*, Volume: 133, Issue: 1, Pages: 63-76, DOI: 10.1007/s10973-017-6806-2, 2018
3. Palou, Martin T. - Kuzielová, Eva - Novotný, Radoslav - Šoukal, František - Žemlička, Matúš. Blended cements consisting of Portland cement-slag-silica fume-metakaolin system. In *Journal of Thermal Analysis and Calorimetry*, 2016, vol. 125, no. 3, p. 1025-1034. (1.781 - IF2015).
4. Kuzielová, Eva - Žemlička, Matúš - Másilko, J. - Palou, Martin T. Pore structure development of blended G-oil well cement submitted to hydrothermal curing conditions. In *Geothermics*, 2017, vol. 68, p. 86–93. ISSN 0375-6505. IF = 2,533
5. Palou, Martin T. - Kuzielová, Eva - Žemlička, Matúš - Boháč, Martin - Novotný, Radoslav. The effect of curing temperature on the hydration of binary Portland cement. In *Journal of Thermal Analysis and Calorimetry*, 2016, vol. 125, no. 3, p. 1301-1310. (1.781 - IF2015). (2016 - Current Contents).
6. Soukal, Frantisek; Koplik, Jan; Ptacek, Petr; Et Al. The influence of pH buffers on hydration of hydraulic phases in system CaO-Al₂O₃-H₂O. In *Journal of Thermal Analysis and Calorimetry* Volume: 124 Issue: 2 Pages: 629-638 Published: MAY 2016
1. Boháč Martin, Palou Martin, Radoslav Novotný, Másilko Jiří, Šoukal František, Opravil Tomáš. Influence of temperature on early hydration of Portland cement–metakaolin–slag system. In *Journal of Thermal Analysis and Calorimetry* Volume 127, Issue 1, pp 309–318 Volume: 127 . 10.1007/s10973-016-5592-6 ISSN: 1388-6150 (Print) 1588-2926 (Online)
2. Žemlička, Matúš - Kuzielová, Eva - Kuliffayová, Marta - Tkacz, Jakub - Palou, Martin T. Study of hydration products in the model systems metakaolin-lime and metakaolin-lime-gypsum. In *Ceramics-Silikáty*, 2015, vol. 59, no. 4, p. 283-291. (0.435 - IF2014). (2015 - Current Contents). ISSN 0862-5468, IF = 0,435
3. Kuzielová, Eva - Pech, Ladislav - Palou, Martin T. Evolution of lightweight foam concretes by water procedure. In *Ceramics-Silikáty*, 2015, vol. 59, no. 1, p. 10-16. (0.435 - IF2014). (2015 - Current Contents). IF= 0,435
4. Albhilil, A. A. - Palou, Martin T. - Kozánková, Jana - Boháč, Martin. Thermal and microstructure stability of cordierite-mullite ceramics prepared from natural raw materials-Part II. In *Arabian Journal for Science and Engineering*, 2015, vol. 40, no. 1, p. 151-161. (2015 - Current Contents)
5. Živica, Vladimír - Palou, Martin T. Physico-chemical characterization of thermally treated bentonite. In *Composites Part B: Engineering*, 2015, vol. 68, p. 436-445. (2.983 - IF2014). (2015 - Current Contents). IF= 2.910.
6. Palou, Martin T. - Šoukal, František - Boháč, Martin - Šiler, Pavel - Ifka, Tomáš - Živica, Vladimír. Performance of G-Oil Well cement exposed to elevated hydrothermal curing conditions. In *Journal*

- of Thermal Analysis and Calorimetry, 2014, vol. 118, no. 2, p. 865-874. (2.206 - IF2013). (2014 - Current Contents). IF= 2,042
7. Ifka, Tomáš - Palou, Martin T. - Baraček, Jan - Šoukal, František - Boháč, Martin. Evaluation of P₂O₅ distribution inside the main clinker minerals by the application of EPMA method. In Cement and Concrete Research, 2014, vol. 59, p. 147-154. (3.848 - IF2013). (2014 - Current Contents). IF= 3,112
 8. Albilil, A. A. - Kozánková, Jana - Palou, Martin T. Thermal and microstructure stability of cordierite-mullite ceramics prepared from natural raw materials. In Arabian Journal for Science and Engineering, 2014, vol. 39, p. 67-73. (0.367 - IF2013). (2014 - Current Contents). IF= 0.43
 9. Živica V., Palou M.T., Bágel L., Ifka T.: High strength metahalloysite based geopolymer, Composites Part B. Engineering, Volume 57, 2014, Page 155-165. IF = 2.910
 10. Palou, Martin T. - Živica, Vladimír - Ifka, Tomáš - Boháč, Martin - Zmrzlý, Martin. Effect of hydrothermal curing on early hydration of G-Oil well cement. In Journal of Thermal Analysis and Calorimetry, 2014, vol.116, no 2, p. 597-603. (2014 - Current Contents). ISSN 1388-6150. (2.206 - IF2013).
 11. Palou, Martin T. - Bágel, Ľubomír - Živica, Vladimír - Kuliffayová, Marta - Kozánková, Jana. Influence of hydrothermal curing regimes on the hydration of fiber-reinforced cement composites. In Journal of Thermal Analysis and Calorimetry, 2013, vol. 113, no 1, p. 219-229. (1.982 - IF2012). (2013 - Current Contents). IF = 1.982.
 12. Palou, Martin T. - Bágel, Ľubomír - Živica, Vladimír - Kuliffayová, Marta - Ifka, Tomáš. Hydration of high alumina cement-silica fume composite with addition of Portland cement or sodium polyphosphate under hydrothermal treatment. In Journal of Thermal Analysis and Calorimetry, 2013, vol. 113, no 1, p. 385-394. (2013 - Current Contents). ISSN 1388-6150 IF = 1.982.
 13. Balgová Z., Palou M., Wasserbauer J., Kozánková J.: Synthesis of poly (vinyl alcohol) - hydroxyapatite composites and characterization of their bioactivity. Central European Journal of Chemistry, 2013, 11(9), 1403-1411. DOI: 10.2478/s11532-013-0283-7. IF = 1.16.
 14. Palou, Martin T. - Bágel, Ľubomír. Preparation and properties of cementitious composites for geothermal applications. In Chemical papers, 2012, vol. 66, no. 9, p. 881-890. (1.096 - IF2011). (2012 - Current Contents). ISSN 0366-6352, IF = 1,096.
 15. Lutišanová G., Palou M.T., Mikula M., Kozánková J.: Characterisation of the surface structure and bioactivity of glass and glass ceramics using surface topography. Central European Journal of Chemistry, 2012 Volume 10, Issue 6, Pages 1890-1898, IF = 1,073.
 16. Lutisanova G., Palou M., Kozankova J.: Mechanism of bioactivity of LS2-FA glass-ceramics in SBF and DMEM medium. Ceramics-Silikáty, 2012, Volume: 56 Issue: 3 Pages: 229-237, IF= 0,649.
 17. Ifka T., Palou M.T., Bazelová Z.: The influence of CaO and P₂O₅ of bone ash upon the reactivity and the burnability of cement raw mixtures. Ceramics – Silikáty 56 (1) 76-84 (2012). IF = 0,649.
 18. Lutišanová G., Palou M.T., Kozánková J.: Comparison of bioactivity in vitro of glass and glass ceramic materials during soaking in SBF and DMEM medium. Ceramics – Silikáty 55 (3) 199-207 (2011). IF = 0,649.
 19. Lutišanová G., Kuzielová E., Palou M.T., Kozánková J.: Static and dynamic in vitro test of bioactivity of glass ceramics. Ceramics – Silikáty 55 (2) 106-113 (2011). IF = 0,649.

20. Ježo L., Ifka T., Cvopa B., Škundová J., Kovár V., Palou M.: Effect of temperature upon the strength development rate and upon the hydration kinetics of cements. *Ceramics-Silikaty*, 2010, 54 (3) 269-276. IF = 0,649
21. Kuzielová, Eva - Žemlička, Matúš - Bartoničková, Eva - Palou, Martin T. The correlation between porosity and mechanical properties of multicomponent systems consisting of Portland cement–slag–silica fume–metakaolin. In *Construction and Building Materials*, 2017, vol. 135, p. 306-314. ISSN 0950-0618.
22. Kuzielová, Eva - Pach, Ladislav - Palou, Martin T. Effect of activated foaming agent on the foam concrete properties. In *Construction and Building Materials*, 2016, vol. 125, p. 998-1004. (2.421 - IF2015). ISSN 0950-0618.
23. Živica, Vladimír - Palou, Martin T. - Križma, Martin - Bágel', Ľubomír. Acidic attack of cement based materials under the common action of high, ambient temperature and pressure. In *Construction and Building Materials*, 2012, vol. 36, no. 11, p. 623-629. (1.834 - IF2011). (2012 - Thomson Reuters Master Journal List). ISSN 0950-0618 IF = 1,834.
24. Živica, Vladimír - Palou, Martin T. - Bágel', Ľubomír - Križma, Martin. Low-porosity tricalcium aluminate hardened paste. In *Construction and Building Materials*, 2013, vol. 38, p. 1191--1198. IF2012= 2.293
25. Boháč, M.; Palou, M.; Novotný, R.; Másilko, J.; Všianský, D.; Staněk, T. Investigation On early Hydration Of Ternary Portland cement-blast-furnace slag- metakaolin blends. *Construction and building materials*, 2014, roč. 2014, č. 64, s. 333-341. ISSN: 0950- 0618.
26. Lutisanova G., Kuzielova E., Palou M.T., Labuda J.: Preliminary comparison static and dynamic in vitro test of bioactivity of glass-ceramics, 2009 2nd International Symposium on Applied Sciences In Biomedical And Communication Technologies (Isabel 2009) Pages, 189-194 Published 2009 .
27. Palou M., Kuzielova E., Vitkovic M., et al. : Mechanism and kinetics of glass-ceramics formation in the LiO₂-SiO₂-CaO-P₂O₅-CaF₂ system. *Central European Journal of Chemistry*, 2009, 7 (2), 228-233. IF = 1,065.
28. Vitkovič M., Maha Salih Mohammed Noaman, Palou M. and Jantová S.: Potential applications of fluorhydroxyapatite as biomaterials in medicine. *Central European Journal of Chemistry*, 2009, 7 (2), 246-251. IF = 1,065.
29. Jantová S., Theiszová, M. Letašiová, S., Birošová, L., Palou, M.T.: In vitro effects of fluor-hydroxyapatite, fluorapatite and hydroxyapatite on colony formation, DNA damage and mutagenicity. *Mutat Res-Gen Tox En*, 2008, 652 (2), 139-144. IF = 2.938.
30. Palou M., Bakos D., Kuzielova E.: Potential applications of glass and glass-ceramics based on lithium disilicate as biomaterials. *BIOCERAMICS*, VOL 20, PTS 1 AND 2 Book Series: Key Engineering Materials, Volume: 361-363 Pages: 273-276 Part: Part 1-2 Published: 2008. IF = 0,630
31. Ayadi A., Palou M., Iratni A.: Silica fume treatment for improving durability of alkali resistant glass fibres in cement matrixes. *Solid State Phenomenom*, 2003, 90-91: 209-213. IF = 0,687
32. Palou M., Majling J. Drabik M. et al. : Ettringite & its chromate analogue, structure and thermal stability. *Solid State Phenomenom*, 2003, 90-91, 395-400. IF = 0,687.

33. Ježo L., Palou M., Kozánková J., Ifka T.: Determination of activation effect of $\text{Ca}(\text{OH})_2$ upon the hydration of BFS and related heat by isothermal calorimeter. *Journal of Thermal Analysis and Calorimetry*, 2010, 101, 585-593. IF = 1,752.
34. Theiszová M., Jantová S., Dragúňová J., Grznárová P., Palou M.: Comparison the cytotoxicity of hydroxyapatite measured by direct cell counting and MTT test in murine fibroblast NIH-3T3 cells. *Biomedical Papers*, 2005, 149(2), 393-396. IF = 0.716.
35. Kuzielova E., Kovar V., Palou M.: Thermal stability of $\text{Li}_2\text{O}-\text{SiO}_2-\text{CaO}-\text{P}_2\text{O}_5-\text{F}$ glass. *Journal of Thermal Analysis and Calorimetry*, 2008, 94 (3), 849-852. IF = 0,630.
36. Palou M., Kuzielova E., Vitkovič M., et al.: Transformation of glass to glass-ceramics in $\text{Li}_2\text{O}-\text{SiO}_2$ sytem. *Ceramics-Silikaty*, 53 (3): 161-164 2009. IF = 0,649.
37. Theiszová M., Jantová S., Letašiová, Valík L., Palou M.T.: Comparative study of a new composite biomaterial fluor-hydroxyapatite on fibroblast cell line NIH-3T3 by direct test. *Biologia*, 2008, 63 (2), 273-281. IF = 0,406.
38. Theiszova M., Jantova S., Letasiova S., Palou M.T., et al.: Cytotoxicity of hydroxyapatite, fluorapatite and fluor-hydroxyapatite: a comparative in vitro study. *Neoplasma*, 2008, 55 (4), 312-316. IF = 1,179.
39. Kuzielova E., Palou M., Kozankova J.: Crystallization mechanism and bioactivity of lithium disilicate glasses in relation to CaO , P_2O_5 , CaF_2 addition. *Ceramics-Silikaty*, 2007, 51 (3), 136-141. IF = 0,488.
40. Doval M., Palou M., Mojumdar SC.: Hydration behavior of C_2S and C_2AS nanomaterials, synthesized by sol-gel method. *Journal of Thermal Analysis and Calorimetry*, 2006, 86 (3), 595-599. IF = 1.438.
41. Doval M., Palou M., Majling J.: Upgrade of hydraulicity of some cement phases synthesised by sol-gel method. *Advanced in Applied Ceramics*, 2006, 105 (4): 197-200 IF = 0,463.
42. Doval M., Palou M., Kovar V.: Hydration and microstructure of binder compounds containing C_2AS and C_2S synthesized by sol-gel method. *Ceramics-Silikaty*, 2006, 50 (2), 106-114. IF = 0,597.
43. Kuzielova E., Hrubá J., Palou M., Smrčková E.: Influence of P_2O_5 upon the crystallization of lithium disilicate and fluoroapatite in bio-glass ceramics. *Ceram-Silikaty*, 2006, 50 (3), 159-162. IF = 0,597.
44. Ayadi A., Palou M., Iratni A.: The durability of alkali-resistant glass fibres in cement matrix. *Journal of Physics IV.*, 2005, 123: 155-158. IF = 0,389.
45. Doval M., Palou M., Kovar V.: Heat evolution and mechanism of hydration in $\text{CaO}-\text{Al}_2\text{O}_3-\text{SO}_3$ system. *Ceramics-Silikaty*, 2005, 49 (2): 104-108. IF = 0,463.
46. Palou M. T., Majling J., Dovál M., Kozánková J., Mojumdar SC.: Formation and stability of crystallohydrates in the non-equilibrium system during hydration of SAB cements. *Ceramics-Silikaty*, 2005, 49, 230-236. IF = 0,740.
47. Palou M., Majling J.: Hydraulic activity of $\text{C}_4\text{A}_3\text{Cr}$ in presence of $\text{C}_4\text{A}_3\bar{\text{S}}$ *Journal of Thermal Analysis and Calorimetry*, 2003, 71 (2), 367-373. IF = 1,094.

48. Strigač J., Palou T.M., Krířtin J., Majling J.: Morphology and chemical composition of minerals inside the phase assemblage $C-C_2S-C_4A_3\bar{S}-C_4AF-C\bar{S}$ relevant to sulphoaluminate belite cements. *Ceramics-Silikaty*, 2000, 44, 26-34. IF = 0,167.
49. Palou M.T., Majling J.: Hydration of the model sulphoaluminate-belite cements composed of blends of minerals with classified particle sizes. *Ceramics-Silikaty*, 1997, 41, 125-133. IF2009 = 0,649.
50. Palou, MT, Majling J; Janotka, I. Investigation of blended low energy cementy cements. *Ceramics-Silikaty*, volume:42, Issue: 3 Pages: 105-111, 1998
51. Palou, M.T. Majling, J.: Effects of sulfate, calcium and aluminium ions upon the hydration of sulphoaluminate belite cement. *Journal of Thermal Analysis*, 1996, 46 (2), 549-556. IF2010 = 1,752.
52. Palou, MT., Majling, J.: Hydration in the system $C_4A_3 - C - CH - H$. *Jour Therm Anal*, 1996, 46 (2), 557-563. IF2010 = 1,752.
53. Smrčková E., Palou M.T., Tomková V.: Application of conduction calorimeter for study of the reactivity of C_2S in the system $C_2S - C_4A_3\bar{S} - H$. *Journal of Thermal Analysis*, 1996, 46 (2): 597-605. IF2010 = 1,752.
54. Palou M.T., Majling J.: Preparation of the high iron sulfoaluminate belite cements from raw mixtures incorporating industrial wastes. *Ceram-Silikaty*, 1995, 39 (2), 63-67. IF2009 = 0,649.
55. Jantová S., Letařiová S., Theiszová M., Palou M. Comparison of murine fibroblast cell response to fluor-hydroxyapatite composite, fluorapatite and hydroxyapatite by eluate assay. *Acta Biol Acad Sci H*, 2009, 60 (1), 89-107. IF = 0,551.
56. Kuzielová, E.; Palou, M.T., Lokaj, J., Kozánková, J: Bioactivity investigation of glass and glass ceramics in $Li_2O-SiO_2-CaO-P_2O_5-CaF_2$ system. *Advanced in Applied Ceramics*, 2008, 107 (4), 203-209. IF = 0,708.