

| Title | Authors | Journal, issue, pages, year, DOI |
|--|--|--|
| Defect Concentration Dependent Phase Transition in the Organic Quasi-One-Dimensional Conductor N-Propyl-Quinolinium (TCNQ) ₂ | Ero-Gecs, M.; Forro, L.; Vancso, G.J.; Holczer, K.; Mihaly, G.; Janossy A. | Solid State Commun. 32, 845 (1979) |
| Electric Properties of Iodine-Doped Polyacetylene | Mihaly, G.; Vancso, G.J.; Pekker, S.; Janossy, A. | Synth. Met. 1, 357 – 362 (1979/1980) |
| Saturation and Linewidth Studies of the ESR Spectra in Polyacetylene | Vancso, G.J.; Rockenbauer, A. | Chem. Scr. 17, 153 – 154 (1981) |
| Cis-Trans Isomerization of Polyacetylene Induced by Mechanical Rolling | Vancso, G.J.; Pekker, S.; Egyed, O.; Janossy, A. | Polymer 23, 14 – 17 (1982) |
| Conjugation Length of Polyenyl Radicals and Polyenes in Thermally Degraded PVC | Vancso, G.J.; Nagy, T. T.; Turcsanyi, B.; Kelen, T.; Tudos, F. | Makromol. Chem., Rapid Commun. 3, 527 – 532 (1982) |
| Formation of Fixed Paramagnetic Solitons in a Polyacetylene Analogue Polymer Matrix | Vancso, G.J., Nagy, T. T. ; Turcsanyi, B.; Kelen, T.; Tüdös, F. | J. Phys. (Paris) 44, 701 – 704 (1983) |
| Investigations of Some Properties of Polyenes and Polyenyl Radicals | Vancso, G.J. | Hungarian Journal of Physics 33, 292 – 350 (1985) |
| Molar Mass Dependence of Hydrodynamic Friction of Polystyrene in Cyclohexane as Revealed by Photon Correlation Spectroscopy and Sedimentation Data | Vancso, G.J. | Polym. Bull., 16, 551 – 558 (1986) |
| Eine rheooptische Apparatur für die Durchführung homogener, einfacher Dehnungen an Polymerschmelzen mit simultaner Aufzeichnung der mechanischen Spannung und der Doppelbrechung | Dinkel, A.; Hoppler, H. U.; Tomka, I.; Vancso, G.J. | Angew. Makromol. Chem. 153, 135 – 152 (1987) |
| Photon Correlation Spectroscopy of Dilute Polymer Solutions: Influence of the Crossover between the First and Higher Relaxation Modes on Dynamic Zimm Plots | Vancso, G.J. | Polym. Commun. 28, 305 – 307 (1987) |

| | | |
|--|--|---|
| Determination of Bimodal Molar Mass Distribution Functions of Polystyrene by Photon Correlation Spectroscopy: Numerical Simulations and Experimental Realization in Comparison with Gel Permeation Chromatography Data | Vancso, G.J.; Tomka, I.; Vancso, K. | Macromolecules 21, 415 – 420 (1988) |
| Calculation of Orientation Factors of Anisotropic Crystalline Polymers from ODF Coefficients of X-Ray Pole Diagrams | Wolter, H. J.; Vancso, G.J.; Tomka, I.; Meissner, J. | Polym. Bull. 19, 389 – 395 (1988) |
| Numerical Evaluation of the Thermodynamic Equation for the State of Polymer Melts from Pressure-Volume-Temperature (PVT) Data | Luchelli, E.; Tomka, I.; Vancso, G.J.; Yeh, P. L. | Polym. Bull. 20, 569 – 576 (1988) |
| Photon Correlation Spectroscopy of Dilute Polymer Solutions: Dynamic Zimm Plots and Scaling of Molar Mass Dependent Properties | Vancso, G.J. | Makromol. Chem. 190, 1119 – 1131 (1989) |
| The Mechanism of Orientation in Cold-Drawn Polyoxymethylene as Revealed by Crystallographic Pole Figures | Schweizer, T.; Vancso, G.J. | Angew. Makromol. Chem. 173, 85 – 100 (1989) |
| Translational Diffusion Coefficient and Diffusion Average Molar Mass of Polydisperse Polymers in Solution | Vancso, G.J. | Eur. Polym. J. 26, 345 – 348 (1990) |
| The Effective Interaction Coefficient Corresponding to Translational Diffusion of High Molecular Mass Polystyrene in Good Solvents | Vancso, G. J.; Forrer, M. | Macromolecules 23, 1220 – 1222 (1990) |
| Orientation Factors and Orientation Distribution Function of Anisotropic Polymer Glasses Determined by X-Ray Diffraction: A Comparison of Different Evaluation Methods | Vancso, G.J. | Polym. Bull. 24, 233 – 240 (1990) |
| Rotation of the Phenyl Groups During Orientation of Atactic Polystyrene | Vancso, G.J.; Snétivy, D.; Tomka, I. | Polym. Commun. 31, 261 – 262 (1990) |
| Structural Reorganization in Compressed Polypropylene Disks | Vancso, G.J.; Bruce, G. D.; Weatherly, G. C. | Polym. Commun. 31, 272 – 274 (1990) |
| The Electronic Structure of Polyazulene | Vancso, G. J.; Winnik M. A. | Chemtracts: Makromol. Chem. 2, 254 (1991) |

| | | |
|---|---|---|
| Structural Changes During Orientation of Polystyrene: A Study of Optical Birefringence and Wide-Angle X-Ray Scattering | Vancso, G.J.; Snétivy, D.; Tomka, I. | Journal of Applied Polymer Science 42, 1351 – 1359 (1991) |
| Bestimmung der Temperaturleitzahl von polymeren Werkstoffen nach einer quasi-stationären Methode | Gehring, M.; Gramespacher, H.; Innerebner, F.; Meissner, J.; Tomka, I.; Vancso, G. J. | Kunstst. – Ger. Plast. 81, 727 – 730 (1991) |
| Studies of the Antenna Effect in Polymer Molecules: Effect of Molecular Weight on Solubilization and Photocatalytic Activity of Poly(sodium styrenesulfonate-co-2-vinylnaphthalene) | White, B.; Nowakowska, M.; Vancso, G.; Guillet, J. E. | Macromolecules 24, 2903 – 2906 (1991) |
| Diffusion Average Molar Mass of Polymers: A Photon Correlation Spectroscopy Study of Polystyrene in a Good and a Theta Solvent | White, B.; Vancso, G. J. | Eur. Polym. J. 28, 699 – 702 (1992) |
| Atomic Force Microscopy of Polymer Crystals I.: Chain Folding Domains in Poly(ethylene oxide) Lamellae | Snétivy, D.; Vancso, G. J. | Polymer 33, 432 – 433 (1992) |
| Deformation Patterns in the Compression of Polypropylene Disks: Experiments and Simulation | Mavridis, H.; Bruce, G. D.; Vancso, G. J.; Weatherly, G. C.; Vlachopoulos J. | J. Rheol. 36, 27 – 43 (1992) |
| Scanning Tunneling Microscopy Imaging of Grain Boundaries and Triple Junctions in Copper | Bruce, G. D.; Fortier, P.; Palumbo, G.; Guillet, J. E.; Vancso, G. J. | Mater. Charact. 28, 133 – 137 (1992) |
| Selective Visualization of Atoms in Extended Chain Crystals of Oriented Polyoxymethylene by Atomic Force Microscopy | Snétivy, D.; Vancso, G. J. | Macromolecules, 25, 3320 – 3322 (1992) |
| Polystyrene Models. II. Ab Initio Study of Isobutylbenzene | Lagowski, J. B.; Csizmadia, I. G.; Vancso, G. J. | Int. J. Quantum Chem. 43, 595 – 623 (1992) |
| Polystyrene Models I. Ab Initio Study of Selected Alkyl Substituted Benzenes, Toluene, Ethylbenzene and Iso-Propylbenzene | Lagowski, J. B.; Csizmadia, I. G.; Vancso, G. J. | THEOCHEM – J. Mol. Struct. 258, 341 – 360 (1992) |
| Imaging of Different Crystal Planes in Oriented Polyethylene by Atomic Force Microscopy | Snétivy, D.; Yang, H.; Vancso, G. J. | J. Mater. Chem. 2, 891 – 892 (1992) |

| | | |
|--|--|--|
| Characterization of Metal-Ion Containing Polyesters 2: Viscosity and Glass Transition Behavior of Poly(diethylene glycol-co-succinic acid) as a Function of the Effective Molar Mass | White, B.; Liu, G.; Vancso, I.; Vancso, G. J. | Polym. Bull. 28, 95 – 101 (1992) |
| Characterization of Metal-Ion Containing Polyesters 1: A Study of the Glass Transition Behavior of Poly(diethylene glycol-co-fumaric acid) as a Function of the Effective Molar Mass | Vancso, I.; White, B.; Vancso, G. J. | Appl. Polym. Symposia. 51, 241 – 247 (1992) |
| Atomic Force Microscopy of Polymer Crystals. 6. Molecular Imaging and Study of Polymorphism in Poly(p-phenyleneterephthalamide) Fibers | Snétivy, D.; Vancso, G. J.; Rutledge, G. C. | Macromolecules 25, 7037 – 7042 (1992) |
| Synthesis, Glass Transition Behavior, and Solution Characterization of Poly[(aryloxy)thionyl-phosphazenes] With Halogen Substituents at Sulfur | Ni, Y.; Stammer, A.; Liang, M.; Massey, J.; Vancso, G. J.; Manners, I. | Macromolecules, 25 7119 – 7125 (1992) |
| Applications of Atomic Force Microscopy to Study the Structure of Polymeric Materials | Vancso, G.J. | Plastics and Rubber, 30, 3 (1993) |
| Atomic Force Microscopy of Polymer Crystals 4. Imaging of Oriented Isotactic Polypropylene with Molecular Resolution | Snétivy, D.; Guillet, J. E.; Vancso, G. J. | Polymer 34, 429 – 431 (1993) |
| Conformation of Cage Polyelectrolytes in Aqueous Solution: Half-Way Between Charged and Neutral Macromolecules | Vancso, G. J.; White, B. R.; Guillet, J. E. | Eur. Polym. J, 29, 751 – 754 (1993) |
| Solid-State Orientation Studies on Polypropylene Disks. II. Uniaxial Compression with Lubricated Press Platens | Bruce, G. D.; Weatherly, G. C.; Vancso, G. J. | Angew. Makromol. Chem, 205, 177 – 184 (1993) |
| Solid-State Orientation Studies on Polypropylene Disks. I. Uniaxial Compression with Non-Lubricated Press Platens | Bruce, G. D.; Weatherly, G. C.; Vancso, G. J. | Angew. Makromol. Chem. 205, 161 – 175 (1993) |
| Polystyrene Models. 3. Modelling Backbone/Side Group Interactions by an Ab Initio Study of 2,4-Diphenylpentane | Lagowski, J. .;Vancso, G. J. | Int. J. Quant. Chem. 46, 271 – 294 (1993) |

| | | |
|---|--|--|
| A Nanoscopic View at the Spherulitic Morphology of Isotactic Polypropylene by Atomic Force Microscopy | Schönherr, H.; Snétivy D.; Vancso, G. J. | Polym. Bull. 30, 567 – 574 (1993) |
| Synthesis, Characterization, Thermal Transition Behavior, and the Electronic Structure of High Molecular Weight, Symmetrically Substituted Poly(ferrocenylsilanes) with Alkyl or Aryl Side Groups | Foucher, D. A.; Ziembinski, R.; Tang, B.; MacDonald, P.; Massey, J.; Jaeger, R.; Vancso, G. J.; Manners, I. | Macromolecules 26, 2878 – 2884 (1993) |
| Distance Measurements by Atomic Force Microscopy on the Angstrom Scale: The Effect of the Specimen Height | Snétivy, D.; Vancso, G. J. | Langmuir 9, 2253 – 2254 (1993) |
| Structure, Transitions and Mechanical Properties of Polypropylene Oriented by Roll-Drawing | Yang, J.; Chaffey, C. E.; Vancso, G. J. | Plast., Rubber Compos. Process. Appl. 21, 201 – 210 (1994) |
| Short-Range Order in Extended-Chain Crystals of Polyoxymethylene from a True Molecular Perspective: An Atomic Force Microscopy Study | Snétivy, D.; Yang, H.; Glomm, B.; Vancso, G. J. | J. Mater. Chem. 4, 55 – 59 (1994) |
| Atomic Force Microscopy of Polymer Crystals 7. Chain Packing, Disorder and Imaging of Methyl Groups in Oriented Isotactic Polypropylene | Snétivy, D.; Vancso, G. J. | Polymer 35, 461 – 467 (1994) |
| Fiber Characterization of Poly(2-fluorophenylene-2-fluoroterephthalamide) by Comparison of Wide Angle X-Ray Scattering and Atomic Force Microscopy | Glomm, B.; Grob, M.; Neuenschwander, P.; Suter, U. W.; Snétivy, D.; Vancso, G. J. | Polymer 35, 878 – 881 (1994) |
| Melt Viscosity of Poly(diethyleneglycol-co-succinic acid): Molar Mass Dependence in the Non-Entangled Regime | Liu, G.; Vancso, G. J. | J. Appl. Polym. Sci. 51, 1991 – 1999 (1994) |
| Anisotropic Friction at the Surface of Lamellar Crystals of Polyoxymethylene by Lateral Force Microscopy | Nisman, R.; Smith, P.; Vancso, G. J. | Langmuir 10, 1667 – 1669 (1994) |
| Synthesis, Characterization and properties of High Molecular Weight Unsymmetrically Substituted Poly(ferrocenylsilanes) | Foucher, D.; Ziembinsky, R.; Petron, R.; Pudelski, J.; Edwards, M.; Ni, Y.; Massey, J.; Jaeger, R.; Vancso, G. J.; Manners, I. | Macromolecules 27, 3992 – 3999 (1994) |

| | | |
|--|--|---|
| AFM Studies of Macromolecules in Extended-Chain Crystals of Polymers | Snétivy, D.; Vancso, G. J. | Colloids Surf., A 87, 257 – 262 (1994) |
| Morphological Studies of Ordered Solid Polymers by Scanning Force Microscopy | Vancso, G. J.; Nisman, R.; Snétivy, D.; Schönherr, H.; Smith, P.; Ng, C.; Yang, H. | Colloids Surf., A 87, 263 – 275 (1994) |
| Cross-Linking Studies of Poly(dimethylsiloxane) Networks: A Comparison of Inverse Gas Chromatography, Swelling Experiments and Mechanical Analysis | Tan, Z.; Jaeger, R.; Vancso, G. J. | Polymer 35, 3230 – 3236 (1994) |
| Anisotropic Friction on Lamellar Crystals of Polyethylene by Lateral Force Microscopy | Smith, P. F.; Nisman, R.; Ng, C.; Vancso, G. J. | Polym. Bull. 33, 459 – 464 (1994) |
| Studies of high performance fibers by atomic force microscopy and molecular simulation | Rutledge, G. C.; Snétivy, D.; Vancso, G. J. | Atomic Force Microscopy/Scanning Tunneling Microscopy, 251 – 263 (1994) |
| The First Unsymmetrically Substituted Ring-Tilted Silicon-Bridged [1]Ferrocenophane | Foucher, D. A.; Lough, A. J.; Manners, I.; Rasburn, J.; Vancso, G. J. | Acta Crystallogr., Sect. C 51, 580 – 582 (1995) |
| The Structure of Highly Textured Quasi-Single-Crystalline High Density Polyethylene Probed by Atomic Force Microscopy and Small-Angle X-Ray Scattering | Schönherr, H.; Vancso, G. J.; Argon, A. S. | Polymer 36, 2115 – 2121 (1995) |
| Solvent Clustering, Polar Network Density, and Thermodynamic Interactions in Coordination Polymers: An Inverse Gas Chromatography Study of Metal-Ion Containing Polyesters of Poly(diethylene glycol-co-succinic acid) | Vancso, G. J.; Tan, Z. | Can. J.Chem. 73, 1855 – 1861 (1995) |
| Solid-State Synthesis and Morphology of Poly(ferrocenyldimethylsilane) | Rasburn, J.; Petersen, R.; Jahr, T.; Rulkens, R.; Manners, I.; Vancso, G. J. | Chem. Mater. 7, 871 – 877 (1995) |

| | | |
|---|--|---|
| Ab Initio Study of the Structure of Poly[di(phenoxy)thionylphosphazene] | Lagowski, J. B.; Jaeger, R.; Manners, I.; Vancso, G. J. | THEOCHEM –J. Mol. Struct., 339, 169 – 177 (1995) |
| Ab Initio Studies on the Structure, Conformation, and Chain Flexibility of Halogenated Poly(thionylphosphazenes) | Jaeger, R.; Lagowski, J. B.; Manners, I.; Vancso, G. J. | Macromolecules 28, 539 – 546 (1995) |
| Thixotropic Behavior of Metal-Ion Containing Coordination Polymers: Melt Viscosity of Neutral Aliphatic Polyesters with Zn-Carboxylates | Liu, G.; White, B.; Vancsó-Szmercsányi, I.; Vancso, G. J. | J. Polym. Sci., Part B: Polym. Phys. 34, 277 – 282 (1995) |
| The Rate Mechanism of Plasticity by Chain Slip in the Crystalline Component of Nylon 6 | Argon, A. S.; Liu, L.; Vancso, G. J. | Micromechanics of Advanced Materials, 283-287 (1995) |
| Estimation of the Linear Thermal Expansion Coefficient in Friction-Deposited, Oriented Poly(tetrafluoroethylene) Films by Temperature-Dependent Lateral Force Microscopy | Förster, S.; Liu, G.; Vancso, G. J. | Polym. Bull. 36, 471 – 476 (1996) |
| Nanometer-Scale Tribological Properties of Highly Oriented Thin Films of Poly(tetrafluoroethylene) Studied by Lateral Force Microscopy | Vancso, G. J.; Förster, S.; Leist, H. | Macromolecules 29, 2158 – 2162 (1996) |
| An Atomic Force Microscopy Study on Self-Assembled Monolayers of Fluorinated Thiols and Disulfides on Polycrystalline Gold: Implications of the Mechanical Stability, Molecular Order, Pull-off Forces and Frictional Properties for Application in Chemically Sensitive Force Microscopy | Schönherr, H.; Vancso, G. J. | Polym. Prepr. 37, 612 – 613 (1996) |
| Lamellar Morphology of Melt-Crystallized β -Polypropylene studied by Atomic Force Microscopy | Trifonova, D.; Varga, J.; Ehrenstein, G. W.; Vancso, G. J. | Polym. Prepr. 37, 563 – 564 (1996) |
| Morphology and Microstructure of Polymer Fibers by Scanning Force Microscopy | Vancso, G.J. | Polym. Prepr. 37, 550 – 553 (1996) |
| Surface Morphology of Polymer Films by Scanning Probe Microscopy | Vancso, G. J.; Liu, G. | ANTEC SPE '96, II, 2355 – 2359 (1996) |
| Well-Defined Side-Chain Liquid-Crystalline Polysiloxanes | Hempenius, M. A.; Lammertink, R. G. H.; Vancso, G. J. | Macromol. Rapid Commun. 17, 299 – 303 (1996) |

| | | |
|--|---|--|
| Surface Morphology of Polymer Films Imaged by Atomic Force Microscopy | Vancso, G. J.; Allston, T. D.; Chun, I.; Johansson, L.-S.; Liu, G.; Smith, P. F. | Int. J. Polym. Anal. Charact. 3, 89 – 105 (1996) |
| An ab initio and Force Field Study on the Conformation and Chain Flexibility of the Dichlorophosphazene Trimer | Jaeger, R.; Vancso, G. J. | Macromol. Theory Simul. 5, 673 – 689 (1996) |
| Characterization of Latex Blend Films by Atomic Force Microscopy | Patel, A. A.; Feng, J.; Winnik, M. A.; Vancso, G. J. | Polymer 37, 5577 – 5582 (1996) |
| Chain Packing in Electro-Spun Poly(ethylene Oxide) Visualized by Atomic Force Microscopy | Jaeger, R.; Schönherr, H.; Vancso, G. J. | Macromolecules 29, 7634 – 7636 (1996) |
| Scanning Probe Microscopy of Polymers: From Morphology and Surface Characterization to Molecular Visualization | Schönherr, H.; Vancso, G. J. | Polymerwerkstoffe '96, 498 – 505 (1996) |
| Studies of Optical Haze and Surface Structure of Blown Polyethylene Films Using Atomic Force Microscopy | Smith, P. F.; Chun, I.; Liu, G.; Dimitrievich, D.; Rasburn, J.; Vancso, G. J. | Polym. Eng. Sci. 36, 2129 – 2134 (1996) |
| Anisotropic Stick-Slip Friction of Highly Oriented Thin Films of Poly(tetrafluoroethylene) at the Molecular Level | Vancso, G. J.; Förster, S.; Leist, H.; Liu, G.; Trifonova, D. | Tribol. Lett. 2, 231 – 239 (1996) |
| Polymer-Polymer Interaction Parameters by Inverse Gas Chromatography: A Novel Molecular Interpretation of Non-Random Partitioning of Solvent Probes in Polymer Blends | Tan, Z.; Vancso, G. J. | Macromol. Theory Simul. 6, 467 – 478 (1997) |
| Side-Chain Liquid-Crystalline Polysiloxanes via Anionic Polymerization: n-Undecyloxyarene-carboxylic Acid Mesogens Linked to Poly(dimethylsiloxane-co-methylvinylsiloxane) | Hempenius, M. A.; Lammertink, R. G. H.; Vancso, G. J. | Macromolecules 30, 266 – 272 (1997) |
| An Atomic Force Microscopy Study on Self-Assembled Monolayers of Resorcin[4]arene Adsorbates on Au(111) | Schönherr, H.; Vancso, G. J.; Huisman, B.-H.; Van Veggel, F. C. J. M.; Reinhoudt, D. N. | Langmuir 13, 1567 – 1570 (1997) |

| | | |
|--|--|---|
| AFM Imaging of Interfacial Morphologies in Carbon-Fiber Reinforced Isotactic Polypropylene | Vancso, G. J.; Liu, G.; Karger-Kocsis, J.; Varga, J. | Colloid Polym. Sci. 275, 181 – 186 (1997) |
| Morphology of Extruded High-Density Polyethylene Pipes Studied by Atomic Force Microscopy | Trifonova, D. ; Drouillon, Ph. ; Ghanem, A. ; Vancso, G. J. | J. Appl. Polym. Sci. 66, 515 – 523 (1997) |
| Lattice Imaging of Self-Assembled Monolayers of Partially Fluorinated Disulfides and Thiols on Sputtered Gold | Schönherr, H.; Vancso, G. J. | Langmuir 13, 3769 – 3774 (1997) |
| Molecular Probing of Polymeric Microstructure and Non-Random Partitioning of Solvents Absorbed in Polymers by Inverse Gas Chromatography | Tan, Z.; Vancso, G. J. | Macromolecules 30, 4665 – 4673 (1997) |
| Imaging of Melting and Crystallization of Poly (Ethylene Oxide) in Real-Time by Hot-Stage Atomic Force Microscopy | Pearce, R.; Vancso, G. J. | Macromolecules 30, 5843 – 5848 (1997) |
| Molecular Resolution Imaging and Friction Anisotropy of Highly Oriented Polyethylene and Polytetra-fluoroethylene by Scanning Force Microscopy with Chemically Modified Probes | Schönherr, H.; Vancso, G. J. | Macromolecules 30, 6391 – 6394 (1997) |
| Chain Flexibility and ³¹ P NMR Spin Lattice Relaxation Measurements on Melts of Halogenated Poly(thionylphosphazenes) | Jaeger, R.; Vancso, G. J.; Gates, D.; Ni, Y.; Manners, I. | Macromolecules 30, 6869 – 6872 (1997) |
| Real-time Imaging of Melting and Crystallization in Poly(ethylene oxide) by Atomic Force Microscopy | Pearce, R.; Vancso, G. J. | Polymer 39, 1237 – 1242 (1998) |
| Electrospinning of Ultra-Thin Polymer Fibers | Jaeger, R.; Bergshoef, M. M., Batlle, C. M. I.; Vancso, G. J. | Macromol. Symp. 127, 141 – 150 (1998) |
| Crystallization and Melting Behaviour of Poly(ferrocenylsilanes) | Hempenius, M. A.; Lammertink, R. G. H.; Vancso, G. J. | Macromol. Symp. 127, 161 – 163 (1998) |
| Crystallization and Melting Behavior of Poly(ferrocenyldimethylsilanes) Obtained by Anionic Polymerization | Lammertink, R. G. H.; Hempenius, M. A.; Manners, I.; Vancso, G. J. | Macromolecules 31, 795 – 800 (1998) |

| | | |
|--|---|---------------------------------------|
| Monolayers of Asymmetrical Diethylalkanoat Disulfides on Gold (111): The Influence of Chain Length Difference on Atomic Force Microscope Images | Nelles, G.; Schönherr, H.; Vancso, G. J.; Butt, H. J. | Appl. Phys.A 66, S1261 – S1266 (1998) |
| Solid State Polymerization of the Unsymmetrical [1]Ferrocenophane Fe(h-C5H4)2SiMePh; Synthesis of the First Stereoregular Organometallic Polymer | Rasburn, J.; Foucher, D. A.; Reynolds, W. F.; Manners, I.; Vancso, G. J. | Chem. Commun. 7, 843 – 844 (1998) |
| Apparent Contrast Reversal in Tapping Mode Atomic Force Microscope Images on Films of Polystyrene-b-Polyisoprene-b-Polystyrene | Pickering, J. P.; Vancso, G. J. | Polym. Bull. 40, 549 – 554 (1998) |
| Scanning Force Microscopy Studies on Molecular Packing and Friction Anisotropy in Thin Films of TetranitroTetrapropoxyCalix[4]arene | Schönherr, H.; Kenis, P. J. A.; Engbersen, J. F. J.; Harkema, S.; Hulst, R.; Reinhoudt, D. N.; Vancso, G. J. | Langmuir 14, 2801 – 2809 (1998) |
| Self-Assembled Monolayers of Branched Thiols and Disulfides on Gold: Surface Coverage, Order and Chain Orientation | Chechik, V.; Schönherr, H.; Vancso, G. J.; Stirling, C. J. N. | Langmuir 14, 3003 – 3010 (1998) |
| Surface Characterization of Oxyfluorinated Isotactic polypropylene Films: Scanning Force Microscopy with Chemically Modified Probes and Contact Angle Measurements | Schönherr, H.; Hruska, Z.; Vancso, G. J. | Macromolecules 31, 3679- 3685 (1998) |
| Morphology, Chain Packing and Conformation in Uniaxially Oriented Polymers Studied by Scanning Force Microscopy (SFM) | Vancso, G. J.; Schönherr, H.; Snétivy, D. | ACS Symposium Series 694 (1998) |
| Supramolecular materials: Molecular Packing of Tetranitrotetrapropoxycalix[4]arene in Highly Stable Films with Second-Order Nonlinear Optical Properties | Kenis, P. J. A.; Noordman, O. F. J.; Schönherr, H.; Kerver, E. G.; Snellink-Ruel, B. H. M.; Van Hummel, G. J.; Harkema, S.; Van der Vorst, C. P. J. M.; Hare, J.; Picken, S. J.; Engbersen, J. F. J.; Van Hulst, N. F.; Vancso, G. J.; Reinhoudt, D. N. | Chem. – Eur. J. 4, 1225 – 1234 (1998) |

| | | |
|---|--|---|
| Morphology Control of Organometallic Domains in Phase-Separated Poly(styrene-block-ferrocenyldimethyl-silanes) | Lammertink, R. G. H.; Versteeg, D. J.; Hempenius, M. A.; Vancso, G. J. | J. Polym. Sci., Part A: Polym. Chem. 36, 2147 – 2150 (1998) |
| The Mechanism of PTFE and PE friction Deposition: A Combined Scanning Electron and Scanning Force Microscopy Study on Highly Oriented Polymeric Sliders | Schönherr, H.; Vancso, G. J. | Polymer 39, 5705 – 5709 (1998) |
| Lattice Orientation and Tribology of SAMs of Fluorinated Thiols and Disulfides on Au(111) by AFM: the Influence of the Molecular Structure | Schönherr, H.; Vancso, G. J. | Polym. Prepr. 39, 904 – 905 (1998) |
| On Some Properties of Surface-modified Polymers by Scanning Force Microscopy using Chemically Modified Probes | Schönherr, H.; Vancso, G. J. | Polym. Prepr. 39, 1177 – 1178 (1998) |
| Molecular Alignment and Nanotribology of Polymeric Solids by Lateral Force Microscopy | Vancso, G. J.; Schönherr, H. | Polym. Prepr. 39, 1237 – 1238 (1998) |
| Frictional Anisotropy and Sectorization in Poly(4-methyl-1-pentene) Lamellar Crystals Studied by Lateral Force Microscopy | Pearce, R.; Vancso, G. J. | Polymer 39, 6743 – 6746 (1998) |
| AFM Study of Lamellar Thickness Distributions in High Temperature Melt-Crystallization of β -polypropylene | Trifonova, D.; Varga, J.; Vancso, G. J. | Polym. Bull. 41, 341 – 348 (1998) |
| Factors Affecting the Preparation of Permanently End-Grafted Polystyrene Layers | Jones, R. A. L.; Lehnert, R. J.; Schönherr, H.; Vancso, G. J. | Polymer 40, 525 – 530 (1999) |
| Crystallization Kinetics and Morphology of Poly(ferrocenyldimethylsilane) | Lammertink, R. G. H.; Hempenius, M. A.; Vancso, G. J. | Macromol. Chem. Phys. 199, 2141 – 2145 (1998) |
| Surface Properties of Oxidized LDPE by Scanning Force Microscopy with Chemically Modified Probes | Schönherr, H.; Vancso, G. J. | J. Polym. Sci., Part B: Polym. Phys. 36, 2483 – 2492 (1998) |
| Observations of Crystallization and Melting in Poly(ethylene oxide)/Poly(methyl methacrylate) Blends by Hot-Stage Atomic-Force Microscopy | Pearce, R.; Vancso, G. J. | Journal of Polymer Science: Part B: Polymer Physics, 36, 2643 – 2651 (1998) |

| | | |
|--|--|--|
| Synthesis, Characterization and Thin Film Formation of End-Functionalized Organometallic Polymers | Péter, M.; Lammertink, R. G. H.; Hempenius, M. A.; Van Os, M.; Beulen, M. W. J.; Reinhoudt, D. N.; Knoll, W.; Vancso, G. J. | Chem. Commun. 359 – 360 (1999) |
| Study of the Molecular Geometry, Electronic Structure and Thermal Stability of Phosphazene and Heterophosphazene Rings with ab Initio Molecular Orbital Calculations | Jaeger, R.; Debowski, M.; Manners, I.; Vancso, G. J. | Inorg. Chem. 38, 1153 – 1159 (1999) |
| Morphology and Nanostructure of Polypropylenes by Atomic Force Microscopy | Vancso, G.J. | Polymer Science and Technology Series: Polypropylene, an A-Z reference 2, 510 – 518 (1999) |
| Periodic Organic-Organometallic Microdomain Structures in Poly(styrene-block-ferrocenyldimethylsilane) Copolymers and Blends with Corresponding Homopolymers | Lammertink, R. G. H.; Hempenius, M. A.; Thomas, E. L.; Vancso, G. J. | J. Polym. Sci., Part B: Polym. Phys. 37, 1009 – 1021 (1999) |
| On the Formation of Oriented Nanometer Scale Patterns on Amorphous Polymer Surfaces Studied by Atomic Force Microscopy | Pickering, J. P.; Vancso, G. J. | Appl. Surf. Sci. 148, 147 – 154 (1999) |
| Lattice Structure and Self-Assembled Monolayers of Dialkyl Sulfides and Calix[4]arene Sulfide Adsorbates on Au(111) revealed by AFM | Schönherr, H.; Vancso, G. J.; Huisman, B.-H.; Van Veggel, F. C. J. M.; Reinhoudt, D. N. | Langmuir 15, 5541 – 5546 (1999) |
| Surface-Confined Metallodendrimers: Isolated Nanosize Molecules | Huisman, B.-H.; Schönherr, H.; Huck, W. T. S.; Friggeri, A.; Van Manen, H.-J.; Menozzi, E.; Vancso, G. J.; Van Veggel, F. C. J. M.; Reinhoudt, D. N. | Angew. Chem., Int. Ed. Engl. 38, 2248 – 2251 (1999) |
| Organometallic Nanodomains from Block Copolymers for Lithographic Applications | Lammertink, R. G. H.; Hempenius, M. A.; Vancso, G. J. | Polym. Mater. Sci. Eng. 81, 14 – 15 (1999) |
| Hedritic Crystallization in Polymers Studied by Atomic Force Microscopy | Vancso, G. J.; Beekmans, L. G. M.; Trifonova, D.; Varga, J. | Polym. Mater. Sci. Eng. 81, 232 – 233 (1999) |

| | | |
|--|---|--|
| Real Time Crystallization of Poly(ϵ -caprolactone) studied by Atomic Force Microscopy) | Beekmans, L. G. M.; Vancso, G. J. | Polym. Mater. Sci. Eng. 81, 260 – 261 (1999) |
| Towards Imaging of Functional Group Distributions in Surface Treated polymers by Scanning Force Microscopy using Functionalized Tips | Schönherr, H.; Hruska, Z.; Vancso, G. J. | Polym. Mater. Sci. Eng. 81, 383 – 384 (1999) |
| Effects of Surface Roughness and Humidity on the Adhesion Hysteresis of Polydimethylsiloxane Measured by an Adhesion Testing Device | Pickering, J. P.; Van der Meer, D. W.; Vancso, G. J. | Polym. Mater. Sci. Eng. 81, 389 – 390 (1999) |
| Microcontact Printing of Lipophilic Self-Assembled Monolayers for the Attachment of Biomimetic Lipid Bilayers to Surfaces | Jenkins, A. T. A.; Boden, N.; Bushby, R. J.; Evans, S. D.; Knowles, P. F.; Miles, R. E.; Ogier, S. D.; Schönherr, H.; Vancso, G. J. | J. Am. Chem. Soc. 121, 5274 – 5280 (1999) |
| Transparent Nanocomposites with Ultrathin, Electrospun Nylon-4,6 Fiber Reinforcement | Bergshoef, M. M.; Vancso, G. J. | Adv. Mater. 11, 1362 – 1365 (1999) |
| Thin Film Plasma Deposition of Allylamine; Effects of Solvent Treatment | Van Os, M. T.; Menges, B.; Förch, R.; Knoll, W.; Timmons, R. B.; Vancso, G. J. | Mater. Res. Soc. Symp. Proc. 544, 45 – 50 (1999) |
| Characterization of Plasma-Polymerized Allylamine Using Waveguide Mode Spectroscopy | Van Os, M. T.; Menges, B.; Förch, R.; Vancso, G. J.; Knoll, W. | Chem. Mater. 11, 3252 – 3257 (1999) |
| From Microns to Nanometers: Morphology Development in Semicrystalline Polymers by Scanning Force Microscopy | Vancso, G. J.; Beekmans, L. G. M.; Pearce, R.; Trifonova, D.; Varga, J. | J. Macromol. Sci., Phys. B38, 491 – 503 (1999) |
| Tribological Properties of Self-Assembled Monolayers of Fluorocarbon and Hydrocarbon Thiols and Disulfides on Au(111) Studied by Scanning Force Microscopy | Schönherr, H.; Vancso, G. J. | Mater. Sci. Eng. C, 8-9, 243 – 249 (1999) |
| Molecular Alignment and Nanotribology of Polymeric Solids Studied by Lateral Force Microscopy | Vancso, G. J.; Schönherr, H. | ACS Symposium Series 741, 317-335 (2000) |

| | | |
|---|---|---|
| Nanostructured Thin Films of Organic-Organometallic Block Copolymers: One-Step Lithography with Poly(ferrocenylsilanes) by Reactive Ion Etching | Lammertink, R. G. H.; Hempenius, M. A.; Van den Enk, J. E.; Chan, V.Z.-H.; Thomas, E. L.; Vancso, G. J. | Adv. Mater. 12, 98 – 103 (2000) |
| A Project-Oriented Approach to Teaching Freshmen Materials Science: Learning Scientific, Communication and Documentation Skills | Kramers-Pals, H.; Van den Berg, J. W. A.; Jaeger, C. R.; Vancso, G. J. | Selected Papers from IcheaP4 Conference, 359 – 365 (1999) |
| Features of the Hedritic Morphology of β -Isotactic Polypropylene Studied by Atomic Force Microscopy | Trifonova-van Haeringen, D.; Varga, J.; Ehrenstein, G. W.; Vancso, G. J. | J. Polym. Sci., Part B: Polym. Phys. 38, 672 – 681 (2000) |
| Atomic Force Microscopy of Elastomers: Morphology , Distribution of Filler Particles, and Adhesion Using Chemicaly Modified Tips | Trifonova-van Haeringen, D.; Schönherr, H.; Vancso, G. J. | Rubber Chem. Technol. 72, 862 – 875 (1999) |
| Host-Guest Interactions at Self-Assembled Monolayers of Cyclodextrins on Gold | Beulen, M. W. J.; Bügler, J.; De Jong, M. R.; Lammerink, B.; Huskens, J.; Schönherr, H.; Vancso, G. J.; Boukamp, B. A.; Wieder, H.; | |
| | Offenhäuser, A.; Knoll, W.; Van Veggel, F. C. J. M.; Reinhoudt, D. N. | Chem. – Eur. J. 6, 1176 – 1183 (2000) |
| Monitoring Surface Reactions at an AFM Tip: An Approach To Follow Reaction Kinetics in Self-Assembled Monolayers on the Nanometer Scale | Schönherr, H.; Chechik, V.; Stirling, C. J. M.; Vancso, G. J. | J. Am. Chem. Soc. 122, 3679 – 3687 (2000) |
| Individual Supramolecular Host-Guest Interactions Studied by Dynamic Single Molecule Force Spectroscopy | Schönherr, H.; Beulen, M. W. J. , Bügler, J.; Huskens, J.; Van Veggel, F. C. J. M.; Reinhoudt, D. N.; Vancso, G. J. | J. Am. Chem. Soc. 122, 4963 – 4967 (2000) |
| Towards High Resolution Mapping of Functional Group Distributions at Surface-Treated Polymers by AFM Using Modified Tips | Schönherr, H.; Hruska, Z.; Vancso, G. J. | Macromolecules 33, 4532 – 4537 (2000) |

| | | |
|---|--|--|
| Towards Mapping of Functional Group Distributions in Functional Polymers by AFM Force Titration Measurements | Schönherr, H.; Van Os, M. T.; Hruska, Z.; Kurdi, J.; Förch, R.; Arefi-Khonsari, F.; Knoll W.; Vancso, G. J. | Chem. Commun., 1303 – 1304 (2000) |
| Morphology and Crystallization of Thin Films of Asymmetric Organic-Organometallic Diblock Copolymers of Isoprene and Ferrocenyldimethylsilane | Lammertink, R. G. H.; Hempenius, M. A.; Vancso, G. J. | Langmuir 16, 6245 – 6252 (2000) |
| Poly(ferrocenylsilanes) at the Interface of Chemistry, Materials Science, and Nanotechnology | Lammertink, R. G. H.; Hempenius, M. A.; Vancso, G. J. | Polym. Mater. Sci. Eng. 83, 559 – 560 (2000) |
| Real-time Crystallization Study of Poly(e-caprolactone) by Hot-Stage Atomic Force Microscopy | Beekmans, L. G. M.; Vancso, G. J. | Polymer 41, 8975 – 8981 (2000) |
| Cross-link Clusters: Reality or Fiction. A Review of the State of the Art, Enlarged with Recent AFM-Data | Van Bevervoorde-Meilof, E. W. E.; Van Haeringen-Trifonova, D.; Vancso, G. J.; Van der Does, L.; Bantjes, A.; Noordermeer, J. W. M. | Kautschuk Gummi Kunststoffe 53, 426 – 432 (2000) |
| Reactive Mixing of Rubber and Silica | Reuvekamp, P. A. E. M.; Ten Brinke, J. W.; Van Swaaij, P. J.; Vancso, G. J.; Noordermeer, J. W. M. | IRC Meeting (2000) |
| Lateral Distribution of Functional Groups at Polymer Surfaces by Chemical Force Microscopy: Force- Titration and Force-Volume Measurements | Vancso, G. J.; Schönherr, H.; Van Os, M. T.; Hruska, Z.; Kurdi, J.; Förch, R.; Arefi-Khonsari, F.; Knoll, W. | Polym. Prepr. 41, 1416, (2000) |
| Electrochemical AFM on Surface Grafted Poly(ferrocenylsilanes) | Péter, M.; Hempenius, M. A.; Lammertink, R. G. H.; Van Os, M. T.; Vancso, G. J. | Polym. Prepr. 41, 1452, (2000) |
| Viscoelastic Energy dissipation and Time-Dependent Adhesion Hysteresis on the Nanometer Scale with Atomic Force Microscopy | Pickering, J. P.; Krüger, D.; Anczykowski, B.; Fuchs, H.; Vancso, G. J. | Polym. Prepr. 41, 1478 (2000) |

| | | |
|--|--|---|
| Insertion of Individual Dendrimer Molecules into Self-Assembled Monolayers on Gold: A Mechanistic Study | Friggeri, A.; Schönherr, H.; Van Manen, H.-J.; Huisman, B.-H.; Vancso, G. J.; Huskens, J.; Van Veggel, F. C. J. M.; Reinhoudt, D. N. | Langmuir 16, 7757 – 7763 (2000) |
| Cation Sensing by Patterned Self-Assembled Monolayers on Gold | Flink, S.; Schönherr, H.; Vancso, G. J.; Geurts, F. A. J.; Van Leerdam, K. G. C.; Van Veggel, F. C. J. M.; Reinhoudt, D. N. | J. Chem. Soc., Perkin Trans. 2, 2141 – 2146 (2000) |
| Distributions of Functional Groups in Plasma Polymerized Allylamine Films by Scanning Force Microscopy Using Functionalized Probe Tips | Schönherr, H.; Van Os, M. T.; Förch, R.; Timmons, R. B.; Knoll, W.; Vancso, G. J. | Chem. Mater. 12, 3689 – 3694 (2000) |
| Poly(ferrocenyldimethylsilanes) for Reactive Ion Etch Barrier Applications | Lammertink, R. G. H.; Hempenius, M. A.; Chan, V. Z.-H.; Thomas, E. L.; Vancso, G. J. | Chem. Mater. 13, 429 – 434 (2001) |
| Organometallic Polyelectrolytes: Synthesis, Characterization and Layer-By-Layer Deposition of Cationic Poly(ferrocenyl(3-ammoniumpropyl)-methylsilane) | Hempenius, M. A.; Robins, N. S.; Lammertink, R. G. H.; Vancso, G. J. | Macromol. Rapid Commun. 22, 30 – 33 (2001) |
| Low-Cost Electrocooling Device for AFM Applications | Debowski, M.; Vancso, G. J. | Probe Microscopy 2, 11 – 19 (2000) |
| Structure and Segmental Motions in Symmetrically Substituted Poly(ferrocenylsilanes): A Carbon-13 CPMAS NMR Contact Time Study | Rasburn, J.; Seker, F.; Kulbaba, K.; Klein, P. G.; Manners, I.; Vancso, G. J.; MacDonald, P. M. | Macromolecules 34, 2884 – 2891 (2001) |
| Morphology and Surface Relief Structures of Asymmetric Poly(styrene-block-ferrocenylsilane) Thin Films | Lammertink R. G. H.; Hempenius, M. A.; Vancso, G. J.; Shin, K.; Rafailovich, M.; Sokolov, J. | Macromolecules 34, 942 – 950 (2001) |
| Direct Observation of Surface-Controlled Self-Assembly of Coordination Cages by Using AFM as a Molecular Ruler | Levi, S. A.; Guatteri, P.; Van Veggel, F. C. J. M.; Vancso, G. J.; Dalcanale E.; Reinhoudt, D. N. | Angew. Chem., Int. Ed. Engl. 40, 1892 – 1896 (2001) |

| | | |
|--|--|---|
| Individual Supramolecular Host-Guest Interactions Probed by Dynamic Single Molecule Force Microscopy | Schönherr, H.; Beulen, M. W. J.; Bügler, J.; Huskens, J.; Van Veggel, F. C. J. M.; Reinhoudt, D. N.; Vancso, G. J. | ACS Symposium Series 781, Oxford University Press: New York, 113 – 128 (2001) |
| AFM Study on Lattice Orientation and Tribology of SAMS of Fluorinated Thiols and Disulfides on Au (111):The Influence of the Molecular Structure | Schönherr H.; Vancso, G. J. | ACS Symposium Series 781, 14 – 30 (2001) |
| Kinetics and Domain Formation in Surface Reactions by Inverted Chemical Force Microscopy and FTIR Spectroscopy | Schönherr, H.; Chechik, V.; Stirling, C. J. M.; Vancso, G. J. | ACS Symposium Series 781, 36 – 57 (2001) |
| Chemistry on Surface-Confined Molecules: An Approach to Anchor Isolated Functional Units to Surfaces | Friggeri, A.; Van Manen, H.-J.; Auletta, T.; Li, X.-M.; Zapotoczny, S.; Schönherr, H.; Vancso, G. J.; Huskens, J.; Van Veggel, F. C. J. M.; Reinhoudt, D. N. | J. Am. Chem. Soc. 123, 6388 – 6395 (2001) |
| Formation of a Cobalt Magnetic Dot Array via Block Copolymer Lithography | Cheng, J. Y.; Ross, C. A.; Chan, V. Z.-H.; Thomas, E. L.; Lammertink, R. G. H.; Vancso, G. J. | Adv. Mater. 13, 1174 – 1178 (2001) |
| Effects of Contact Time, Humidity, and Surface Roughness on the Adhesion Hysteresis of Polydimethylsiloxane | Pickering, J. P.; Van der Meer, D. W.; Vancso, G. J. | J. Adhes. Sci. Technol. 15, 1429 – 1441 (2001) |
| Electrochemical AFM on Surface Grafted Poly(ferrocylsilanes) | Péter, M.; Hempenius, M. A.; Lammertink, R. G. H.; Vancso, G. J. | Macromol. Symp. 166, 285 – 296 (2001) |
| Influence of Tip Indentation on the Adhesive Behavior of Viscoelastic Polydimethylsiloxane Networks Studied by Atomic Force Microscopy | Pickering, J. P.; Vancso, G. J. | Macromol. Symp. 166, 189 – 199 (2001) |
| On the Role of Electromagnetic Boundary Conditions in Single Molecule Fluorescence Lifetime Studies of Dyes Embedded in Thin Films | Vallée, R. A. L.; Tomczak, N.; Gersen, H.; Van Dijk, E. M. H. P.; García-Parajó, M. F.; Vancso, G. J.; Van Hulst, N. F. | Chem. Phys. Lett. 348 161 – 167 (2001) |

| | | |
|--|---|--|
| Surface Engineering on the Nanometerscale with Supramolecular Complex Species | Vancso, G. J.; Schönherr, H.; Huskens, J.; Reinhoudt, D. N. | Eur. Cell Mater. 6, 18 – 19 (2001) |
| Crystal Melting and its Kinetics on Poly(ethylene oxide) by In Situ Atomic Force Microscopy | Beekmans, L. G. M.; Van der Meer, D. W.; Vancso, G. J. | Polymer 43, 1887 – 1895 (2002) |
| Synthesis of a Polyanionic Water Soluble Poly(ferrocenylsilanes) | Hempenius, M. A.; Vancso, G. J. | Macromolecules 35, 2445 – 2447 (2002) |
| Compressive Properties of Hydrocarbon-Residue Based Composite Materials | Puig, C. C.; Meijer, H. E. H.; Michels, M. A. J.; Segeren, L. H. G. J.; Vancso, G. J. | 10th European Conference on Composite Materials (2002) |
| Water Soluble Poly(ferrocenylsilanes) for Supramolecular Assemblies by Layer-by-layer Deposition | Hempenius, M. A.; Péter, M.; Kooij, S.; Lammertink, R. G. H.; Vancso, G. J. | Polym. Mater. Sci. Eng. 86, 95 – 96 (2002) |
| Printing of Organometallic Polymer Resists on Multiple Length Scales | Lammertink, R. G.; Péter, M.; Hempenius, M. A.; Vancso, G. J. | Polym. Mater. Sci. Eng. 86, 101 – 102 (2002) |
| Unraveling the Nanostructure of Supramolecular Assemblies of Hydrogen-Bonded Rosettes on Graphite: An Atomic Force Microscopy Study | Schönherr, H.; Paraschiv, V.; Zapotoczny, S.; Crego-Calama, M.; Timmerman, P.; Frank, C. W.; Vancso G. J.; Reinhoudt, D. N. | PNAS 99, 5024 – 5027 (2002) |
| Surface Energy Characteristics of Toner Particles by Automated Inverse Gas Chromatography | Segeren, L. H. G. J.; Wouters, M. E. L.; Bos, M.; Van den Berg J. W. A.; Vancso, G. J. | J. Chromatogr., A 969, 215 – 227 (2002) |
| Chain Length and Concentration Dependence of β – Cyclodextrin – Ferrocene Host – Guest Complex Rupture Forces Probed by Dynamic Force Microscopy | Zapotoczny, S.; Auletta, T.; De Jong, M. R.; Schönherr, H.; Huskens, J.; Van Veggel, F. C. J. M.; Reinhoudt, D. N.; Vancso, G. J. | Langmuir 18, 6988 – 6994 (2002) |

| | | |
|--|--|--|
| Functional Group Transfer from Gold Nanoparticles to Flat Gold Surfaces for the Creation of Molecular Anchoring Points on Surfaces | Paraschiv, V.; Zapotoczny, S.; De Jong, M.R.; Vancso, G. J.; Huskens J.; Reinhoudt D. N. | Adv. Mater. 14, 722 – 726 (2002) |
| Anchoring and Orientational Wetting of Nematic Liquid Crystals on Semi-Fluorinated Self-Assembled Monolayer Surfaces | Alkhairalla B.; Boden, N.; Cheadle, E.; Evans, S. D.; Henderson, J. R.; Fukushima, H.; Miyashita, S.; Schönherr, H.; Vancso, G. J.; Colorado, R.; Graupe, M.; Shmakova, O. E.; Lee, T. R. | Europhys. Lett. 59, 410 – 416 (2002) |
| Water-Soluble Poly(ferrocenylsilanes) for Supramolecular Assemblies by Layer-by-Layer Deposition | Hempenius, M. A.; Péter, M.; Robins, N. S.; Kooij, E. S.; Vancso, G. J. | Langmuir 18, 7629 – 7634 (2002) |
| Nucleation and Growth of Poly(ϵ -caprolactone) on Poly(tetrafluoroethylene) by in-Situ AFM | Beekmans, L. G. M.; Vallée, R. A. L.; Vancso, G. J. | Macromolecules 35, 9383 – 9390 (2002) |
| Microparticle Adhesion Studies by Atomic Force Microscopy | Segeren, L. H. G. J.; Siebum, B.; Karsenberg, F. G.; Van den Berg, J. W. A.; Vancso, G. J. | J. Adhes. Sci. Technol. 16, 793 – 828 (2002) |
| Non-Covalent Chemistry on Surface Confined, Isolated Dendrimers | Van Manen, H-J.; Auletta, T.; Dordi, B.; Schönherr, H.; Vancso, G.J.; Van Veggel, F. C. J. M.; Reinhoudt, D. N. | Adv. Funct. Mater. 12, 811 – 818 (2002) |
| Morphology of Polyurethanes Revisited by Complementary AFM and TEM | Tocha, E.; Janik, H.; Debowski, M.; Vancso, G. J. | J. Macromol. Sci., Phys. B41, 1291 – 1304 (2002) |
| On the Dependence of Impact Behavior on the Crystalline Morphology in Polypropylenes | Van der Meer, D. W.; Pukánszky, B.; Vancso, G. J. | J. Macromol. Sci., Phys. B41, 1105 – 1119 (2002) |

| | | |
|---|---|---|
| Fabrication of Nanostructures with Long-Range Order Using Block Copolymer Lithography | Cheng, J. Y.; Ross, C. A.; Thomas, E. L.; Smith, H. I.; Vancso, G. J. | Appl. Phys. Lett. 81, 3657 – 3659 (2002) |
| Magnetic Properties of Large-Area Particle Arrays Fabricated Using Block Copolymer Lithography | Cheng, J. Y.; Ross, C. A.; Thomas, E. L.; Smith, H. I.; Lammertink, R. G. H.; Vancso, G. J. | IEEE-INST Electrical Electronics Engineers Inc. 38, 2541 – 2543 (2002) |
| Adhesion Measurements by AFM and Surface Energy Characteristics by IGC of Xerographic Toner Particles under Different Mechanical and Environmental | Segeren, L. H. G. J.; Karssenbergh, F. G.; Pickering, J. P.; Van den Berg, J. W. A.; Vancso, G. J. | Particles on Surfaces: Detection, Adhesion and Removal 7, 197 – 217 (2002) |
| Magnetic Properties of Dot Arrays Made by Block Copolymer Lithograph | Cheng, J. Y.; Ross, C. A.; Smith, E. L.; Lammertink, R. G. H.; Vancso, G. J. | Magnetics Conference '02 – INTERMAG Europe '02. Digest of Technical Papers. IEEE International (2002) |
| Reactivity in the Confinement of Self-Assembled Monolayers: Chain Length Effects on the Hydrolysis of Self-Assembled Monolayers of N-hydroxy-succinimide Ester Disulfides on Gold | Dordi, B.; Schönherr, H.; Vancso, G. J. | Langmuir 19, 5780 – 5786 (2003) |
| Synthesis and Characterization of Anionic and Cationic Poly(ferrocenylsilane) Polyelectrolytes | Hempenius, M. A.; Brito, F. F.; Vancso, G. J. | Macromolecules 36, 6683 – 6688 (2003) |
| Poly(ferrocenylsilanes) as Etch Barriers in Nano and Microlithographic Applications | Hempenius, M. A.; Lammertink, R. G. H.; Péter, M.; Vancso, G. J. | Macromol. Symp. 196, 45 – 65 (2003) |
| Single Molecule Lifetime Fluctuations Reveal Segmental Dynamics in Polymers | Vallée, R. A. L.; Tomczak, N.; Kuipers, L.; Vancso, G. J.; Van Hulst N. F. | Phys. Rev. Lett. 91, 038301-1 – 038301-4 (2003) |
| Surface Engineering and Nanolithography with Organometallic Polymers | Vancso, G. J.; Golze, S.; Hempenius, M. A.; Hillborg, H.; Jenkins, T. A.; Knoll, W.; Kooij, S.; Korczagin, I.; Lammertink, R. G. H.; Péter, M.; Roser, S. | Polym. Mater. Sci. Eng. 89, 151 – 152 (2003) |

| | | |
|--|---|--|
| Reactivity of Self-Assembled Monolayers Confined on an AFM Tip: Reaction Kinetics Followed on the Nanometer Scale | Dordi, B.; Pickering, J. P.; Schönherr, H.; Vancso, G. J. | Polym. Mater. Sci. Eng. 89, 153 – 154 (2003) |
| Plasma-Assisted Nanolithography with Organometallic Homo- And Block Copolymers | Vancso, G. J.; Golze, S.; Hempenius, M. A.; Hillborg, H.; Korczagin, I.; Lammertink, R. G. H. | Polym. Prepr. 44, 197 – 198 (2003) |
| Single Molecular Interactions in Supramolecular Host-Guest Systems by AFM | Zou, S., Zapotoczny, S.; De Jong, M. R.; Auletta, T.; Schönherr, H.; Huskens, J.; Van Veggel, F. J. M.; Reinhoudt, D. N.; Vancso, G. J. | Polym. Mater. Sci. Eng. 88, 453 – 454 (2003) |
| Tunable Complex Stability in Surface Molecular Recognition Mediated by Self-Complementary Quadruple Hydrogen Bonds | Zou, S.; Zhang, Z.; Förch, R.; Knoll, W.; Schönherr, H.; Vancso, G. J. | Langmuir 19, 8618 – 8621 (2003) |
| Surface Micropatterning and Lithography with Poly(Ferrocenylmethylphenylsilane) | Korczagin, I.; Golze, S.; Hempenius, M. A.; Vancso, G. J. | Chem. Mater. 15, 3663 – 3668 (2003) |
| Templated Self-Assembly of Block Copolymers: Effect of Substrate Topography | Cheng, J. Y.; Ross, C. A.; Thomas, E. L.; Smith, H. I.; Vancso, G. J. | Adv. Mater. 15, 1599 – 1602 (2003) |
| Molecular Fluorescence Lifetime Fluctuations: On the Possible Role of Conformational Effects | Vallée, R. A. L.; Vancso, G. J.; Van Hulst, N. F.; Calbert, J.-P.; Cornil, J.; Bredas, J. L. | Chem. Phys. Lett. 37, 282 – 287 (2003) |
| Tunable Complex Stability in Surface Molecular Recognition Mediated by Self-Complementary Quadruple Hydrogen-Bonds | Schönherr, H.; Zou, S.; Zhang, Z.; Förch, R.; Knoll, W.; Vancso, G. J. | Polym. Prepr. 44, 489 – 490 (2003) |
| Water-Soluble Polyferrocenylsilanes for Supramolecular Assemblies by Layer-by-Layer Deposition | Hempenius, M. A., M. Péter, N.S. Robbins, E.S. Kooij, Lammertink, R. G. H.; G.J.Vancso | Macromolecules Containing Metal and Metal-Like Elements: Organoiron Polymers 2, Wiley & Sons: New York, 99 – 132 (2004) |
| Metal-Containing Polymers for High-Performance Resist Applications | Lammertink, R. G. H.; I.Korczagin, Hempenius, M. A., Vancso, G. J. | Macromolecules Containing Metal and Metal-Like Elements: Organoiron Polymers 2, Wiley & Sons: New York, 115 – 133 (2004) |

| | | |
|---|---|---|
| Nano-Structuring by Molecular Self-Assembly | Minelli, C.; Blondeaux, N.; Losson, M.; Liley, M.; Jeney, S.; Hinderling, C.; Pugin, R.; Joester, D.; Diederich, F.; Vancso, G.; Hempenius, M.; Heinzlmann, H. | Chimia 57, 646 – 650 (2003) |
| Depth-Resolved Look at the Network Development of Alkyd Coatings by Atomic Force Microscopy and Confocal Raman Microscopy | Marton, B.; Van der Ven, L. G. J.; Otto, C.; Uzunbajakava, N.; Hempenius, M. A.; Vancso, G. J. | Polym. Mater. Sci. Eng. 88, 445 – 446 (2003) |
| Writing Patterns of Molecules on Molecular Printboards | Auletta, T.; Dordi, B.; Mulder, A.; Sartori, A.; Onclin, S.; Bruinink, C.M.; Nijhuis, C.A.; Bijleveld, H.; Péter, M.; Schönherr, H.; Vancso, G. J.; Casnati, A.; Ungaro, R.; Ravoo, B. J.; Huskens, J.; Reinhoudt, D. N. | Angew. Chem., Int. Ed. Engl. 43, 369 – 373 (2004) |
| Effect of Solvent on Nanoscale Polymer Heterogeneity and Mobility Probed by Single Molecule Lifetime Fluctuations | Vallée, R. A. L.; Tomczak, N.; Kuipers, L.; Vancso, G. J.; Van Hulst, N. F. | Chem. Phys. Lett. 384, 5 – 8 (2004) |
| Nanoscale Hydrophobic Recovery: A Chemical Force Microscopy Study of UV/Ozone-Treated Cross-Linked Poly(dimethylsiloxane) | H. Hillborg, Tomczak, N.; A. Olah, Schönherr, H.; Vancso, G. J. | Langmuir 20, 785 – 794 (2004) |
| Film Thickness Effects on Single Molecule Optical Probing of Polymers | Tomczak, N.; Vallée, R. A. L.; Garcia-Parajo, M. F.; Kuipers, L.; Van Hulst, N. F.; Vancso, G. J. | Polym. Mater. Sci. Eng. 88, 449 – 450 (2003) |
| Single Molecule Probing of Polymers and Supramolecular Materials | Vancso, G. J.; Schönherr, H.; Zou, S.; De Jong, M. R.; Huskens, J.; Tomczak, N.; Vallée, R. A. L.; Van Hulst, N. F.; Reinhoudt, D. N. | Polym. Mater. Sci. Eng. 88, 230 (2003) |

| | | |
|---|---|--|
| Elastic Modulus Profiles in the Cross Sections of Drying Alkyd Coating Films: Modelling and Experiments | Mirone, G.; Marton, B.; Vancso, G. J. | Eur. Polym. J. 40, 549 – 560 (2004) |
| β -Cyclodextrin Host-Guest Complexes Probed under Thermodynamic Equilibrium: Thermodynamics and AFM Force Spectroscopy | Auletta, T.; De Jong, M. R.; Mulder, A.; Van Veggel, F. C. J. M.; Huskens, J.; Reinhoudt, D. N.; Zou, S.; Zapotoczny, S.; Schönherr, H.; Vancso, G. J.; Kuipers, L. | J. Am. Chem. Soc. 126, 1577 – 1584 (2004) |
| Characterization of Glass Transition Temperatures and Surface Energy of Bituminous Binders by Inverse Gas Chromatography | Puig, C. C.; Meijer, H. E. H.; Michels, M. A. J.; Segeren, L. H. G. J.; Vancso, G. J. | Energy Fuels 18, 63 – 67 (2004) |
| Electrochemically-Induced Morphology and Volume Changes in Surface-Grafted Poly(ferrocenyldimethylsilane) Monolayers | Péter, M.; Hempenius, M. A.; Kooij, E. S.; Jenkins, T. A.; Roser, S. J.; Knoll, W.; Vancso, G. J. | Langmuir 20, 891 – 897 (2004) |
| Poly(ferrocenylsilane-block-methacrylates) via Sequential Anionic and Atom Transfer Radical Polymerization | Korczagin, I.; Hempenius, M. A.; Vancso, G. J. | Macromolecules 37, 1686 – 1690 (2004) |
| Poly(ferrocenylsilanes) for Nanolithography | Hempenius, M. A.; F.F. Brito, Lammertink, R. G. H.; M. Péter, G.J.Vancso | Polym. Prepr. 45, 410 (2004) |
| Surface Micropatterning and Lithography with Poly(ferrocenylmethylphenylsilane) | Korczagin, I.; H. Xu, S. Golze, Hempenius, M. A.; Vancso, G. J. | Polym. Prepr. 45, 419 (2004) |
| Chemical Force Microscopy Study of the Nanoscale Hydrophobic Recovery of UV/Ozone-Treated Crosslinked Poly(dimethylsiloxane), | Schönherr, H.; Hillborg, H.; Tomczak, N., Oláh, A.; Vancso, G. J. | Polym. Mater. Sci. Eng. 90, 147 – 148 (2004) |
| Controlled Carbon Nanotube Growth on Block Copolymer Templates | Hinderling, C.; Keles, Y.; Stöckli, T., Knapp, H. F.; De los Arcos, T.; Oelhaven, P.; Korczagin, I.; Hempenius, M. A.; Vancso, G. J.; Pugin, R.; Heinzelmann, H. | Polym. Mater. Sci. Eng. 90, 545 – 547 (2004) |

| | | |
|---|--|---|
| Molecular Interactions in Supramolecular Dimers and Polymers by Force Spectroscopy | Vancso, G. J.; Zou, S.; Schönherr, H. | Polym. Mater. Sci. Eng. 90, 18 – 19 (2004) |
| Reactive Macromolecular Films for Biomolecule Immobilization: Fabrication of Sub-Micrometer Reactive Patterns and Impact of Confinement on Reactivity | Schönherr, H.; Feng, C.; Shovsky, A.; Degenhart, G.; Dordi, B.; Zhang, Z.; Förch, R.; Knoll, W.; Vancso, G. J. | Polym. Mater. Sci. Eng. 90, 689 – 690 (2004) |
| Hydrogen-Bonded Assemblies as a Scaffold for Metal-Containing Nanostructures: From Zero to Two Dimensions | Van Manen, H.-J.; Paraschiv, V.; Garcia-López, J. J.; Schönherr, H.; Zapatoczný, S.; Vancso, G. J.; Crego-Calama, M.; Reinhoudt, D. N. | Nano Lett. 4, 441 – 446 (2004) |
| Probing Polymers with Single Fluorescent Molecules | Tomczak, N.; Vallée, R. A. L.; Van Dijk, E. M. H. P.; García-Parajó M.; Kuipers, L.; Van Hulst, N.F.; Vancso, G. J. | Eur. Polym. J. 40, 1001 – 1011 (2004) |
| Morphological Development of Melt Crystallized Poly(propylene Oxide) by In Situ AFM: Formation of Banded Spherulites | Beekmans, L. G. M.; Hempenius, M. A.; Vancso, G. J. | Eur. Polym. J. 40, 893 – 903 (2004) |
| Inverted Chemical Force Microscopy: Following Interfacial Reactions on the Nanometer Scale | Dordi, B.; Pickering, J. P.; Schönherr, H.; Vancso, G.J. | Eur. Polym. J. 40, 939 – 947 (2004) |
| Segment Dynamics in Thin Polystyrene Films Probed by Single Molecule Optics | Tomczak N.; Vallée, R. A. L.; Van Dijk, E. M. H. P.; Kuipers, L.; Van Hulst, N. F.; Vancso, G. J. | J. Am. Chem Soc. 126, 4748 – 4749 (2004) |
| Nanowire and Mesh Conformations of Diblock Copolymer Blends at the Air/Water Interface | Seo, Y.-S.; Sim, K. S.; Galambos, A.; Lammertink, R. G. H.; Vancso, G. J.; Rafailovich, M. | Nano Lett. 4, 483 – 486 (2004) |
| Atomic Force Microscopy Studies of Hydrogen-Bonded Nanostructures on Surfaces | Schönherr, H.; Crego-Calama, M.; Vancso, G. J.; Reinhoudt D. N. | Dekker Encyclopedia of Nanoscience and Nanotechnology, 155 – 167 (2004) |

| | | |
|--|--|---|
| Synthesis, Characterization and Gold Loading of Polystyrene-poly(pyridyl methacrylate) Core-Shell Latex Systems | Oláh, A.; Hempenius, M. A.; Vancso, G. J. | Eur. Polym. J. 40, 763-773 (2004) |
| Controlled Carbon Nanotube Growth on Block Copolymer Templates | Hinderling, C.; Keles, Y.; Stöckli, T.; Knapp, H. F.; De los Arcos, T.; Oelhafen, P.; Korczagin, I.; Hempenius, M. A.; Vancso, G. J. | Adv. Mater. 16, 876 – 879 (2004) |
| Micro- and Nanofabrication of Robust Reactive Arrays Based on the Covalent Coupling of Dendrimers to Activated Monolayers | Degenhart, G.H.; Dordi, B.; Schönherr, H.; Vancso, G.J. | Langmuir 20, 6216 – 6224 (2004) |
| Spontaneous Resolution of Racemic Hydrogen-Bonded Nanoassemblies on Graphite Revealed by Atomic Force Microscopy | Schönherr, H.; Crego-Calama, M.; Vancso, G. H.; Reinhoudt, D. N. | Adv. Mater. 16, 1416 – 1420 (2004) |
| Probing Chemical Reactions on the Nanometer Scale: Inverted Chemical Force Microscopy of Reactive Self-Assembled Monolayers | Dordi, B.; Pickering, J. P.; Schönherr, H.; Vancso, G. J. | Surf. Sci. 570, 57 – 66 (2004) |
| Grafting of Single, Stimuli-Responsive Poly(ferrocenylsilane) Molecules to Gold Surfaces | Zou, S.; Ma, Y.; Hempenius, M.A.; Schönherr, H.; Vancso, G. J. | Langmuir 20, 6278 – 6287 (2004) |
| Atomic Force Microscopy Assisted Immobilization of Lipid Vesicles | Schönherr, H.; Rozkiewicz, D.; Vancso, G. J. | Langmuir 20, 7308 – 7312 (2004) |
| Hydrophobic Recovery of UV/ozone Treated Poly(dimethylsiloxane): Adhesion Studies by Contact Mechanics and Mechanism of Surface Modification | Olah, A.; Hillborg, H., Vancso, G. J. | Appl. Surf. Sci. 239, 410 – 423 (2005) |
| Stretching and Rupturing Individual Supramolecular Polymer Chains by AFM | Zou, S.; Schönherr, H.; Vancso, G. J. | Angew. Chem., Int. Ed. Engl. 44, 956 – 959 (2005) |
| Symmetry Control of Polymer Colloidal Monolayers and Crystals by Electrophoretic Deposition onto Patterned Surfaces | Dziomkina, N. V., Hempenius, M. A., Vancso, G. J. | Adv. Mater. 17, 237 – 239 (2005) |

| | | |
|---|---|---|
| Interfacial Reactions in Confinement: Kinetics and Temperature Dependence of the Surface Hydrolysis of Polystyrene-block-poly(tert-butyl acrylate) Thin Films | Feng, C. L.; Vancso, G. J., Schönherr, H. | Langmuir 21, 2356 – 2363 (2005) |
| The Influence of Hard Segment Crosslinking on the Morphology and Mechanical Properties of Segmented Poly(ester-urethanes) | Janik, H.; Vancso, G. J. | Polimery 50, 139 – 142 (2005) |
| Large Area Ordering at Room Temperature in Thin Films of Poly(isoprene-block-ferrocenylsilane)s for Nanofabrication | Roerdink, M.; Hempenius, M. A.; Vancso, G. J. | Chem. Mater. 17, 1275 – 1278 (2005) |
| Single Molecule Polymer Force Studies by AFM | Ma, Y.; Zou, S.; Schönherr, H.; Vancso, G. J.; Yin, J. | Gongneng Gaofenzi Xuebao [Journal of Functional Polymers] 17, 503-509 (2004). |
| Fluorescence Lifetime Fluctuations of Single Molecules Probe Local Density Fluctuations in Disordered Media: A Bulk Approach | Vallée, R. A. L.; Tomczak, N.; Vancso, G. J.; Kuipers, L.; Van Hulst, N. F. | J. Chem. Phys. 122, 114704-1 – 114704-9 (2005) |
| Oriented Crystallization and Mechanical Properties of Polypropylene Nucleated on Fibrillated Polytetrafluoro-ethylene Scaffolds | Van der Meer, D. W.; Milazzo, D.; Sanguineti, A.; Vancso, G. J. | Polym. Eng. Sci. 45, 458 – 468 (2005) |
| Supramolecular Microcontact Printing and Dip-Pen Nanolithography on Molecular Printboards | Bruinink, C. M.; Nijhuis, C. A.; Péter, M.; Dordi, B.; Crespo-Biel, O.; Auletta, T.; Mulder, A.; Schönherr, H.; Vancso, G.J.; Huskens, J.; Reinhoudt, D. N. | Chem. – Eur. J. 11, 3988 – 3996 (2005) |
| Beaded Electrospun Fibers for Photonic Applications | Tomczak, N.; Van Hulst, N. F.; Vancso, G. J. | Macromolecules 38, 7863 – 7866 (2005) |
| Chemical Composition of Polymer Surfaces Imaged by Atomic Force Microscopy and Complementary Approaches | Vancso, G. J.; Hillborg, H.; Schönherr, H. | Adv. Pol. Sci. 182, 55 – 129 (2005) |
| Electrochemistry of Surface-Grafted Stimulus-Responsive Monolayers of Poly(ferrocenyl-dimethylsilane) on Gold | Péter, M.; Lammertink, R. G. H.; Hempenius, M. A., Vancso, G. J. | Langmuir 21, 5115 – 5123 (2005) |

| | | |
|--|--|---|
| Mechanical Properties of a Single Electrospun Fiber and Its Structures | Gu, S.-Y.; Wu, Q.-L.; Ren, J.; Vancso, G. J. | Macromol. Rapid Commun. 26, 716 – 720 (2005) |
| Influence of Grain Size and Humidity on the Nanotribological Properties of Wear-Resistant Nanostructured ZrO ₂ Coatings: An Atomic Force Microscopy Study | Tocha, E.; Schönherr, H.; Vancso, G. J. | J. Am. Ceram. Soc. 88, 2498-2503 (2005) |
| Development of a High Velocity Accessory for Atomic Force Microscopy-Based Friction Measurements | Tocha, E.; Stefański, T.; Schönherr, H.; Vancso, G. J. | Rev. Sci. Instrum. 76, 083704-1 – 083704-7 (2005) |
| Templated Self-Assembly of Block Copolymers for Nanolithographic Applications | Ross, C. A.; Cheng, J. Y.; Ilievski, F.; Thomas, E. L.; Smith, H. I.; Vancso, G. J. | Pol. Prepr. 46, 574 – 575 (2005) |
| Force Spectroscopy of Quadruple H-Bonded Dimers by AFM: Dynamic Bond Ruptures and Molecular Time-Temperature Superposition | Zou, S.; Schönherr, H.; Vancso, G. J. | J. Am. Chem Soc. 127, 11230 – 11231 (2005) |
| Colloidal Crystal Assembly on Topologically Patterned Templates | Dziomkina, N.; Vancso, G. J. | Soft Matter 1, 265 – 279 (2005) |
| Microparticle Adhesion Studies by Atomic Force Microscopy | Segeren, L. H. G. J.; Siebum, B.; Karsenberg, F. G.; Van den Berg, J. W. A.; Vancso, G. J. | Atomic Force in Adhesion Studies, Eds.: Drelich, J.; Mittal, K. L., VSP: Boston, 309 – 344 (2005) |
| Characterization of Adhesion at Solid Surfaces: Development of an Adhesion-Testing Device | Olah, A.; Vancso, G. J. | Eur. Polym. J. 41, 2803 – 2823 (2005) |
| Process Optimization and Empirical Modeling for Electrospun Polyacrylonitrile (PAN) Nanofiber Precursor of Carbon Nanofibers | Gu, S. Y.; Ren, J.; Vancso G. J. | Eur. Polym. J. 41, 2559 – 2568 (2005) |
| Reactive Thin Polymer Films as Platforms for the Immobilization of Biomolecules | Feng, C. L.; Zhang, Z.; Forch, R.; Knoll, W.; Vancso, G. J.; Schönherr, H. | Biomacromolecules 6, 3243 – 3251 (2005) |

| | | |
|--|---|---|
| A Depth-Resolved Look at the Network Development in Alkyd Coatings by Confocal Raman Microscopy | Marton, B.; Van der ven, L.G.J.; Otto, C.; Uzunbajakava, N.; Hempenius, M.; Vancso, G.J. | Polymer 46, 11330 – 11339 (2005) |
| Enzymatic Surface Erosion of Poly(trimethylene carbonate) Films Studied by Atomic Force Microscopy | Zhang, Z.; Zou, S.; Vancso, G.J.; Grijpma, D.W.; Feijen, J. | Biomacromolecules 6, 3404 – 3409 (2005) |
| Organic and Macromolecular Films and Assemblies as (Bio)reactive Platforms: From Model Studies on Structure-Reactivity Relationships to Submicrometer Patterning | Schönherr, H.; Degenhart, G. H.; Dordi, B.; Rozkiewicz, D. I.; Shovsky, A.; Vancso, G. J. | Adv. Pol. Sci., 200, 169 – 208 (2006) |
| Surface Nano- and Microstructuring with Organometallic Polymers | Korczagin, I.; Lammertink, R. G. H.; Hempenius, M. A.; Golze, S.; Vancso, G. J. | Adv. Pol. Sci., 200, 91 – 118 (2006) |
| Synthesis of Cationic Core-Shell Latex Particles | Dziomkina, N.; Hempenius, M. A.; Vancso, G. J. | Eur. Polym. J., 42, 81 – 91(2006) |
| Force Spectroscopy of Individual Stimulus-Responsive Poly(ferrocenyldimethylsilane) Chains: Towards a Redox-Driven Macromolecular Motor | Zou, S.; Hempenius, M. A.; Schönherr, H.; Vancso, G. J. | Macromol. Rapid Commun., 27, 103 – 108 (2006) |
| Formation and Detection of Clay Network Structure in Poly(propylene)/Layered Silicate Nanocomposites | Ábrányi, Á.; Százdí, L.; Pukánszky Jr., B.; Vancso, G.J.; Pukánszky, B. | Macromol. Rapid Commun., 27, 132 – 135 (2006) |
| Pattern Registration between Spherical Block-Copolymer Domains and Topographical Templates | Cheng, J. Y.; Zhang, F. S.; Smith, H. I., Vancso, G. J.; Ross, C. A. | Adv. Mater., 18, 597 – 601 (2006) |
| Compositional Mapping of Polymer Surfaces by Chemical Force Microscopy Down to the Nanometer Scale: Reactions in Block Copolymer Microdomains | Schönherr, H.; Feng, C. L.; Tomczak, N.; Vancso, G. J. | Macromol. Symp. 230, 149 – 157 (2005) |
| Adhesion Studies of Latex Film Surfaces on the Meso- and Nanoscale | Olah, A.; Hempenius, M. A.; Zou, S.; Vancso, G. J. | Appl. Surf. Sci., 252, 3714 – 3728 (2006) |

| | | |
|---|---|--|
| Quantitative Nanotribology by AFM: A Novel Universal Calibration Platform | Tocha, E. A.; Schönherr, H.; Vancso, G. J. | Langmuir, 22, 2340 – 2350 (2006) |
| AFM Tip Mediated Nanofabrication of (Bio)Reactive Polymer Platforms: Towards Deposition of Single Dendrimer Molecules onto Reactive Films | Schönherr, H.; Salazar, R. B.; Shovsky, A.; Vancso, G. J. | Polym. Mater. Sci. Eng., 94, 301 – 302 (2006) |
| Surface Grafted, Single-Chain Macromolecular Motors from Redox Responsive, “Smart” Poly(ferrocenylsilanes) | Vancso, G. J.; Zou, S.; Hempenius, M. A.; Ma, Y.; Schönherr, H. | Polym. Mater. Sci. Eng., 94, 843 – 844 (2006) |
| Single Molecule Force Spectroscopy of Smart Poly(ferrocenylsilane) Macromolecules: Towards Highly Controlled Redox-Driven Single Chain Motors | Zou, S; Korczagin, I.; Hempenius, M. A.; Schönherr, H.; Vancso, G. J. | Polymer, 47, 2483 – 2492 (2006) |
| Self-Assembly of PFS-B-PMMA Block Copolymers in a Selective Solvent | Hempenius, M. A.; Korczagin, I.; Fokkink, R. G.; Cohen Stuart, M. A.; Al-Hussein, M.; Bomans, P. H. H.; Frederik, P. M.; Vancso, G. J. | Polym. Prepr., 47, 437 – 438 (2006) |
| Reactive Block Copolymer Film Platforms: From Tailored Biointerfaces to Nanoperiodic Arrays | Schönherr, H.; Feng, C.; Vancso, G. J. | Polym. Prepr., 47, 541 – 542 (2006) |
| Poly(ferrocenylsilane-block-methacrylate)s via Sequential Anionic and Atom Transfer Radical Polymerization | Hempenius, M. A.; Korczagin, I.; Vancso, G. J. | ACS Symposium Series 928, 320 – 333 (2006) |
| Stimulus Responsive Poly(ferrocenylsilanes): Redox Chemistry of Iron in the Main Chain | Giannotti, M.I.; Lv, H.; Ma, Y.; Steenvoorden, M. P.; Overweg, A. R.; Roerdink, M.; Hempenius, M. A.; Vancso, G. J. | J. Inorg. Organom. Polym. 15, 527 – 540 (2005) |
| Water-Soluble Cationic Poly(ferrocenylsilane): An Efficient DNA Condensation and Transfection Agent | Zhong, Z. Y.; Lin, C.; Ma, Y.; Hempenius, M. A.; Lok, M. C., Fretz, M. M.; Engbersen, J. F. J.; Vancso, G. J.; Hennink, W. E., Feijen, J. | 9th European Symposium on Controlled Drug Delivery, 207 – 210 (2006) |

| | | |
|--|--|---|
| Quantitative Estimation of the Reinforcing Effect of Layered Silicates in PP Nanocomposites | Százdi, L.; Pukánszky Jr., B.; Vancso, G. J.; Pukánszky, B. | Polymer, 47, 4638 –4648 (2006) |
| Chemical Force Microscopy: Nanometer-Scale Surface Analysis with Chemical Sensitivity | Schönherr, H.; Vancso, G. J. | Scanning Probe Microscopies Beyond Imaging – Manipulation of Molecules and Nanostructures, 275 – 314 (2006) |
| Atomic Force Microscopy-Based Single-Molecule Force Spectroscopy of Synthetic Supramolecular Dimer and Polymers | Zou, S; Schönherr, H.; Vancso, G. J. | Scanning Probe Microscopies Beyond Imaging – Manipulation of Molecules and Nanostructures, 315 – 354 (2006) |
| Ordered Polymeric Nanostructures at Surfaces | Vancso, G. J.; Reiter, G. | Adv. Pol. Sci., 200, Springer-Verlag, Berlin (2006) |
| Morphology Characterization of PP/Clay Nanocomposites Across the Length Scales of the Structural Architecture | Százdi, L.; Ábrányi, Á.; Pukánszky Jr., B.; Vancso, G. J.; Pukánszky, B. | Macromol. Mater. Eng., 291, 858 – 868 (2006) |
| Redox-Controlled Molecular Permeability of Composite-Wall Microcapsules | Ma, Y.; Dong, W.-F.; Hempenius, M. A.; Möhwald, H.; Vancso, G. J. | Nature Mater., 5, 724 – 729 (2006) |
| Reactive μ CP on Ultrathin Block Copolymer Films: Localized Chemistry for Micro- and Nano-Scale Biomolecular Patterning | Feng, C. L.; Embrechts, A.; Vancso, G. J.; Schönherr H. | Eur. Polym. J., 42, 1954 – 1965 (2006) |
| An in situ Study of the Nanomechanical Properties of Barnacle (Balanus Amphitrite) Cyprid Cement Using Atomic Force Microscopy (AFM) | Phang, I. Y.; Aldred, N.; Clare, A. S.; Callow, J. A.; Vancso, G. J. | Biofouling, 22, 245 – 250 (2006) |
| Dip-Pen Nanolithography on (Bio)Reactive Monolayer and Block-Copolymer Platforms: Deposition of Lines of Single Macromolecules | Salazar, R. B.; Shovsky, A.; Schönherr, H.; Vancso, G. J. | Small, 2, 1274 – 1282 (2006) |
| Single Light Emitters in Electrospun Polymer Nanofibers: Effect of Local Confinement on Radiative Decay | Tomczak, N.; Gu, S.; Han, M.; Van Hulst, N. F.; Vancso, G. J. | Eur. Polym. J., 42, 2205 – 2210 (2006) |

| | | |
|---|--|---|
| Water-Soluble Cationic Poly(ferrocenylsilane): An Efficient DNA Condensation and Transfection Agent | Zhong, Z.Y.; Lin, C.; Ma, Y.; Hempenius, M.A.; Lok, M.C.; Fretz, M.M.; Engbersen, J.F.J.; Vancso, G.J.; Hennink, W.E.; Feijen, J. | Journal of Contr. Rel., 116, e81 – e83 (2006) |
| Fabrication of Robust Biomolecular Patterns by Reactive Microcontact Printing on NHS Ester Containing Polymer Films | Feng, C.L.; Vancso, G.J.; Schönherr, H. | Adv. Funct. Mater., 16, 1306 – 1312 (2006) |
| Tunable Thermo-responsive Polymeric Platforms on Gold by Photoiniferter-Based Surface Grafting | Benetti, E. M.; Zapotoczny, S.; Vancso, G. J. | Adv. Mater., 19, 268 – 271 (2007) |
| Reactive Microcontact Printing on Block Copolymer Films: Exploiting Chemistry in Microcontacts for Sub- μm Patterning of Biomolecules | Feng, C. L.; Embrechts, A.; Bredebusch, I.; Schnekenburger, J.; Domschke, W.; Vancso, G. J.; Schönherr, H. | Adv. Mater., 19, 286 – 290 (2007) |
| Reactive mCP on Ultrathin Block Copolymer Films: Investigation of the mCP Mechanism and Application to Sub- μm (Bio)molecular Patterning | Feng, C.L.; Vancso, G.J.; Schönherr, H. | Langmuir, 23, 1131 – 1140 (2007) |
| Layer-by-Layer Constructed Macroporous Architectures | Ma, Y.; Dong, W. F.; Hempenius, M. A.; Möhwald, H.; Vancso, G. J. | Angew. Chem. Int. Ed. Engl., 46, 1702 – 1705 (2007) |
| Development of Effective Marine Antifouling Coatings. Studying Barnacle Cyprid Adhesion with Atomic Force Microscopy | Phang, I.Y.; Aldred, N.; Clare, A.S.; Vancso, G.J. | NanoS, 1, 34 – 39 (2007) |
| Microcontact printed poly(amidoamine) dendrimer monolayers on silicon oxide surface | Tomczak, N.; Vancso, G.J. | Eur. Polym. J., 43, 1595 – 1601 (2007) |
| Tailored Interfaces for Biosensors and Cell-Surface Interaction Studies via Activation and Derivatization of Polystyrene-block-poly(tert-butyl acrylate) Thin Films | Feng, C.L.; Embrechts, A.E.; Bredebusch, I.; Bouma, A.; Schnekenburger, J.; García-Parajó, M.; Domschke, W.; Vancso, G.J.; Schönherr, H. | Eur. Polym. J., 43, 2177 – 2190 (2007) |

| | | |
|---|---|---|
| Electrostatic Assembly with Poly(ferrocenylsilanes) | Ma, Y.; Hempenius, M.A.; Vancso, G.J. | J. Inorg. Organom. Polym., 17, 3 - 18 (2007) |
| Templated Growth of Carbon Nanotubes with Controlled Diameters Using Organic-Organometallic Block Copolymers with Tailored Block Lengths | Roerdink, M.; Pragt, J.; Korczagin, I.; Hempenius, M. A.; Stöckli, T.; Keles, Y.; Knapp, H. F.; Hinderling, C.; Vancso, G. J. | J. Nanosci. Nanotechnol., 7, 1052 – 1058 (2007) |
| Feeling the Force of Supramolecular Bonds in Polymers | Vancso, G.J. | Angew. Chem.Int. Ed., 46, 3794 - 3796 (2007) |
| Supramolecular Assembly of Water-Soluble Poly(ferrocenylsilanes): Multilayer Structures on Flat Interfaces and Permeability of Microcapsules | Ma, Y.; Dong, W.F.; Kooij, E.S.; Hempenius, M.A.; Möhwald, H.; Vancso, G.J. | Soft Matter, 3, 889 – 895 (2007) |
| Superstability of Surface Nanobubbles | Borkent, B.M.; Dammer, S.M.; Schönherr, H.; Vancso, G.J.; Lohse, D. | Phys. Rev. Lett., 98, 204502-1 – 4 (2007) |
| Surface Ionization State and Nanoscale Chemical Composition of UV-Irradiated Poly(dimethylsiloxane) Probed by Chemical Force Microscopy, Force Titration, and Electrokinetic Measurements | Song, J.; Duval, J.F.L.; Cohen-Stuart, M.A.C.; Hillborg, H.; Gunst, U.; Arlinghaus, H.F.; Vancso, G.J. | Langmuir, 23, 5430 – 5438 (2007) |
| Calibration of Friction Force Signals in Atomic Force Microscopy in Liquid Media | Tocha, E.A.; Song, J.; Schönherr, H.; Vancso, G.J. | Langmuir, 23, 7078 – 7082 (2007) |
| Substrate Wetting and Topographically Induced Ordering of Amorphous PI-b-PFS Block-Copolymer Domains | Roerdink, M.; Hempenius, M.A.; Gunst, U.; Arlinghaus, H.F.; Vancso, G.J. | Small, 3, 1415 – 1423 (2007) |
| Preparation and Characterization of Macromolecular "Hedge" Brushes Grafted from Au Nanowires | Zapotoczny, S.; Benetti, E.M.; Vancso, G.J. | J. Mater. Chem., 17, 3293 - 3296 (2007) |
| Redox-Responsive and Macroporous Polymeric Microcapsules from Water-Soluble Poly(ferrocenylsilanes) | Ma, Y.; Dong, W.F.; Hempenius, M.A.; Möhwald, H.; Vancso, G.J. | Polym. Prepr., 48, 671 – 672 (2007) |

| | | |
|---|--|---|
| Templated Self-Assembly of Poly(styrene- <i>b</i> -ferrocenyldimethylsilane) Block Copolymers Using Substrate Topography | Ross, C.A.; Cheng, J.Y.; Chuang, V.P.; Vancso, G.J. | Polym. Prepr., 48, 674 – 675 (2007) |
| Engineering of Interfaces and Macromolecular Nanotechnology with Poly(ferrocenylsilanes) | Vancso, G.J.; Giannotti, M.I.; Hempenius, M.A.; Ma, Y.; Schönherr, H.; Shi, W.; Song, J.; Tocha, E.; Zou, S. | Polym. Prepr., 48, 676 – 677 (2007) |
| Supramolecular Assembly of Water-Soluble Poly(ferrocenylsilanes); Multilayer Structures and Properties on Flat Interfaces | Ma, Y.; Dong, W.F.; Kooij, E.S.; Hempenius, M.A.; Möhwald, H.; Vancso, G.J. | Polym. Prepr., 48, 689 – 690 (2007) |
| Oppervlakte nanobelletjes; een groot raadsel | Borkent, B.M.; Yang, S.; Dammer, S.M.; Schönherr, H.; Bremond, N.; Zandvliet, H.J.W.; Kooij, E.S.; Vancso, G.J.; Lohse, D. | Nederlands Tijdschrift voor Natuurkunde, uitgave september 2007, 292 – 294 (2007) |
| Interrogation of Single Synthetic Polymer Chains and Polysaccharides by AFM-Based Force Spectroscopy | Giannotti, M.I.; Vancso, G.J. | Chem.Phys.Chem., 8, 2290 - 2307 (2007) |
| Poly(ferrocenylsilanes)-block-Polylactide Block Copolymers | Roerdink, M.; Van Zanten, T.S.; Hempenius, M.A.; Zhong, Z.; Feijen, J.; Vancso, G.J. | Macromol. Rapid Commun., 28, 2125 - 2130 (2007) |
| Flame treatment of low-density polyethylene; Surface chemistry across the length scales | Song, J.; Gunst, U.; Arlinghaus, H.F.; Vancso, G.J. | Appl. Surf. Sci., 253, 9489 – 9499 (2007) |
| Probing buried carbon nanotubes within polymer-nanotube composite matrices by atomic force microscopy | Phang, I.Y.; Liu, T.; Zhang, W.-D.; Schönherr, H.; Vancso, G.J. | Eur. Pol. J., 43, 4136 – 4142 (2007) |
| Closed Mechanoelectrochemical Cycles of Individual Single-Chain Macromolecular Motors by AFM | Shi, W.; Giannotti, M.I.; Zhang, X.; Hempenius, M.A.; Schönherr, H.; Vancso, G.J. | Angew. Chem. Int. Ed., 46, 8400 – 8404 (2007) |

| | | |
|---|--|--|
| Force Spectroscopy of Hyaluroaan by AFM: From H-Bonded Networks Towards Single Chain Behavior | Giannotti, M.I., Rinaudo, M., Vancso, G.J. | Biomacromol., 8, 2648 – 2652 (2007) |
| Elasticity of single poly(amido amine) dendrimers | Tomczak, N., Vancso, G.J. | Macromol. Rapid Commun., 28 (16), 1640 – 1644 (2007) |
| Probing the Morphology and Nanoscale Mechanics of Single Poly(N-isopropylacrylamide) Microgels Across the Lower-Critical-Solution Temperature by Atomic Force Microscopy | Tagit, O., Tomczak, N., Vancso, G.J. | Small, 4, 119 – 126 (2008) |
| The effects of a serine protease, Alcalase [®] , on the adhesives of barnacle cyprids (<i>Balanus amphitrite</i>) | Aldred, N., Phang, I.Y., Conlan, S.L., Clare, A.S., Vancso, G.J. | Biofouling, 24, 97 – 107 (2008) |
| Towards a Nanomechanical Basis for Temporary Adhesion in Barnacle Cyprids (<i>Semibalanus balanoides</i>) | Phang, I.Y., Aldred, N., Clare, A.S., Vancso, G.J. | Journal of the Royal Society Interface, 5, 397- 401 (2008) |
| Magnetic reversal phenomena of perpendicular magnetic islands fabricated by block copolymer lithography | Ilievski, F., Ross, C.A., Vancso, G.J. | J. Appl. Phys., 103, 07C520-1-3 (2008) |
| Macromolecular “Hedge” Brushes Grafted from Au Nanowires | Benetti, E.M., Zapotoczny, S., Vancso, G.J. | Polym. Mater. Sci. Eng., 98, 203-204 (2008) |
| Morphology, Crystallization, and Melting of Single Crystals and Thin Films of Star-branched Polyesters with Poly(ϵ -caprolactone) Arms as Revealed by Atomic Force Microscopy | Núñez, E., Vancso, G.J., Gedde, U.W. | J. Macromol. Sci., Phys., B47, 589-607 (2008) |
| Supramolecular Layer-by-Layer Assembly of 3D Multicomponent Nanostructures via Multivalent Molecular Recognition | Ling, X.Y., Phang, I.Y., Reinhoudt, D.N., Vancso, G.J., Huskens, J. | Int. J. Mol. Sci, 9, 486 – 497 (2008) |
| Low Friction in CuO-Doped Yttria-Stabilized Tetragonal Zirconia Ceramics: A Complementary Macro- and Nanotribology Study | Tocha, E., Pasaribu, H.R., Schipper, D.J., Schönherr, H., Vancso, G.J. | J. Am. Ceram. Soc., 91, 1646-1652 (2008) |
| Effects of Flame Treatment in the Interfacial Energy of Polyethylene Assessed by Contact Mechanics | Song, J., Vancso, G.J. | Langmuir, 24, 4845 – 4852 (2008) |

| | | |
|--|--|---|
| Rupture Force of Single Supramolecular Bonds in Associative Polymers by AFM at Fixed Loading Rates | Embrechts, A., Schönherr, H., Vancso, G.J. | J.Phys.Chem.B., 112, 7359 – 7362 (2008) |
| Experimental study on potential cavitation nuclei: surface nanobubbles and bubbles trapped in well-defined nanopits | Borkent, B., Dammer, S., Schönherr, H., Vancso, G.J., Lohse, D. | Warwick-IMRC Forum 2008, 1-4 (2008) |
| Friction and Surface Dynamics of Polymers on the Nanoscale by AFM | Schönherr, H., Tocha, E., Vancso, G.J. | Top.Curr.Chem. Springer-Verlag Berlin Heidelberg, 1-54 (2008) |
| Rupturing Quadruple Hydrogen Bond Arrays by AFM | Embrechts, A., Schönherr, H., Vancso, G.J. | X, Linz Workshop Proceedings, Publisher: Trauner |
| Pattern transfer fidelity in capillary force lithography with poly(ferrocenylsilane) plasma etch resists | Korzagin, I., Xu, H., Hempenius, M.A., Vancso, G.J. | Eur. Pol. J., 44, 2523-2528 (2008) |
| Inverted Microcontact Printing on Polystyrene-block-Poly(tert-butyl acrylate) Films: A Versatile Approach to Fabricate Structured Biointerfaces Across the Length Scales | Embrechts, A., Feng, C.L., Mills, C., Lee, M., Bredebusch, I., Schnekenburger, J., Domschke, W., Vancso, G.J., Schönherr, H. | Langmuir, 24, 8841- 8849 (2008) |
| Red-ox Stimulus Responsive Organometallic Polymers: Controlling Adhesion, Friction and Molecular Release | Vancso, G.J., Ma, Y., Hempenius, M.A., Song, J. | Polym. Mater. Sci. Eng., 99, 72 – 73 (2008) |
| Atomic Force Microscopy Based Thermal Lithography of Poly(tert-butyl acrylate) Block Copolymer Films for Bioconjugation | Duvigneau, J., Schönherr, H., Vancso, G.J. | Langmuir, 24, 10825 – 10832 (2008) |
| Buried, Covalently Attached RGD Peptide Motifs in Poly(methacrylic) Brush Layers: The Effect of Brush Structure on Cell Adhesion | Navarro, M., Benetti, E.M., Zapotoczny, S., Planell, J.A., Vancso, G.J. | Langmuir, 24, 10996 – 11002 (2008) |
| Si-containing block copolymers for self-assembled nanolithography | Ross, C.A., Jung, Y.S., Chuang, V.P., Ilievski, F., Yang, J.K.W., Bitá, I., Thomas, E.L., Smith, H.I., Berggren, K.K., Vancso, G.J., Cheng, J.Y. | J.Vac.Sci.Technol.B., 26, 2489 – 2494 (2008) |

| | | |
|---|---|---|
| Contact mechanics of UV/ozone-treated PDMS by AFM and JKR testing; Mechanical performance from nano-to micrometer length scales | Song, J., Tranchida, D., Vancso, G.J. | Macromolecules, 41, 6757 – 6762 (2008) |
| Marine biofouling field tests, settlement assay and footprint micromorphology of cyprid larvae of Balanus amphitrite on model surfaces | Phang, I.Y., Chaw, K.C., Choo, S.S.H., Kang, R.K.C., Lee, S.S.C., Birch, W.R., Teo, S.I.M., Vancso G.J. | Biofouling, 25, 139 – 147 (2009) |
| Designer multi-functional comb-polymers for surface engineering of quantum dots on the nanoscale | Jańczewski, D., Tomczak, N, Khin, Y.W., Han, M-Y., Vancso, G.J. | Eur.Pol.J., 45, 3 – 9 (2009) |
| Free-Standing 3D Supramolecular Hybrid Particle Structures | Ling, X.Y., Phang, I.Y., Maijenbrug, W., Schönherr, H., Reinhoudt, D.N., Vancso, G.J., Huskens, J. | Angw. Chem. Int. Ed., 48, 983 – 987 (2009) |
| Stable and Transparent Superhydrophobic Nanoparticle Films | Ling X.Y., Phang, I.Y., Vancso, G.J., Huskens, J., Reinhoudt, D.N. | Langmuir, 2009, 25, 3260-3263 (2009) |
| Stimulus Responsive PNIPAM/QD Hybrid Micospheres by Copolymerization with Surface Engineered QD's | Jańczewski, D., Tomczak, N, Khin, Y.W., Han, M-Y, Vancso, G.J. | Macromolecules, 42, 1801 - 1804 (2009) |
| Reversible Phase Transfer of (CdSe/ZnS) Quantum Dots between Organic and Aqueous Solutions | Dorokhin, D., Tomczak, N., Han, M.Y., Reinhoudt, D.N., Velders, A.H., Vancso, G.J. | ACS Nano, 3, 661 - 667 (2009) |
| Fabrication of Freestanding Nanoporous Polyethersulfone Membranes Using Organometallic Polymer Resists Patterned by Nanosphere Lithography | Açikgöz, C., Ling X.Y., Phang, I.Y., Hempenius, M.A., Reinhoudt, D.N., Huskens, J., Vancso, G.J. | Adv. Mater., 21, 1 - 4 (2009) |
| pH Responsive Polymeric Brush Nanostructures: Preparation and Characterization by Scanning Probe Oxidation and Surface Initiates Polymerization | Benetti, E.M., Chung, H.J., Vancso G.J. | Macromol. Rapid Commun., 30, 411 – 417 (2009) |
| Synthesis of Poly(ferrocenylsilanes) Polyelectrolyte Hydrogels with Redox Controlled Swelling | Hempenius, M.A., Cirimi, C., Song, J., Vancso, G.J. | Macromolecules, 42, 2324-2326 (2009) |

| | | |
|---|--|--|
| Poly(methacrylic acid) Grafts Grown from Designer Surfaces; The Effect of Initiator Coverage on Polymerization Kinetics, Morphology, and Properties | Benetti, E.M., Reimhult, E., Bruin, de, J., Zapotoczny, S., Textor, M., Vancso, G.J. | Macromolecules, 42, 1640 - 1647 (2009) |
| Direct surface structuring of organometallic resists using nanoimprint lithography | Açikgöz, C., Hempenius, M.A., Vancso, G.J., Huskens, J. | Nanotechnology, 20, 1 - 7 (2009) |
| Designer polymer-quantum dot architectures | Jańczewski, D., Tomczak, N., Han, M-Y., Vancso, G.J. | Prog. Polym. Sci., 34, 393 – 430 (2009) |
| Surface Relaxations of Poly (methyl methacrylate) Assessed by Friction Force Microscopy on the Nanoscale | Tocha, E., Schönherr, H., Vancso, G.J. | Soft Matter, 5, 1489 – 1495 (2009) |
| Temperature-modulated quenching of quantum dots covalently coupled to chain ends of poly(N-isopropyl acrylamide) brushes on gold | Tagit, O., Tomczak, N., Benetti, E.M., Cesa, Y., Blum, C., Subramaniam, V., Herek, J.L., Vancso G.J. | Nanotechnology, 20, 185501-1- 6 (2009) |
| Tip–surface interactions at redox responsive poly(ferrocenylsilane) (PFS) interface by AFM-based force spectroscopy | Chung, H.J., Song, J., Vancso, G.J. | Appl. Surf. Sci., 255, 6995 – 6998 (2009) |
| Layer-by-layer templated growth of colloidal crystals with packing and pattern control | Dziomkina, N.V., Hempenius, M.A., Vancso, G.J. | J. Coll. Surf A, 342, 8 – 15 (2009) |
| What's New in Atomic Force Microscopy of Polymers? An Update | Vancso, G.J., Schön, P., Duvigneau, J. | Microscopy and Analysis, 23, 5 – 11 (2009) |
| Introduction of Quantum Dots into PNIPAM microspheres by precipitation polymerization above LCST | Jańczewski, D., Tomczak, N., Han, M-Y., Vancso, G.J. | Eur.Pol.J., 45, 1912 - 1917 (2009) |
| Freestanding 3D Supramolecular Particle Bridges: Fabrication and Mechanical Behavior | Ling, X.Y., Phang, I.Y., Schönherr, H., Reinhoudt, D.N., Vancso, G.J., Huskens, J. | Small, 5, 1428–1435 (2009) |

| | | |
|---|---|--|
| Controlled Block-Copolymer Thin-Film Architectures | Roerdink, M., Hempenius, M.A., Gunst, U., Arlinghaus, H.F., Vancso, G.J. | Applications in Bioscience and Nanotechnology, Book chapter 2.1; Wiley-VCH, 105 – 124 (2009) |
| Stimuli-Responsive Polymer Brushes | Benetti, E.M., Navarro, M., Zapotoczny, S., Vancso, G.J. | Surface Design; Applications in Bioscience and Nanotechnology, Book chapter 2.2; Wiley-VCH, 125 – 144 (2009) |
| Structured and Functionalized Polymer Thin-Film Architectures | Schönherr, H., Feng, C.L., Embrechts, A., Vancso, G.J. | Surface Design; Applications in Bioscience and Nanotechnology, Book chapter 2.4; Wiley-VCH, 165 - 180 (2009) |
| Interaction of Structured and Functionalized Polymers with Cancer Cells | Embrechts, A., Feng, C.L., Bredebusch, I., Rommel, C.E., Schnekenburger, J., Vancso, G.J., Schönherr, H. | Surface Design; Applications in Bioscience and Nanotechnology, Book chapter 3.4; Wiley-VCH, 233 – 250 (2009) |
| Defined Colloidal 3D Architectures | Dziomkina, N.V., Hempenius, M.A., Vancso, G.J. | Surface Design; Applications in Bioscience and Nanotechnology, Book chapter 4.1; Wiley-VCH, 287 – 321 (2009) |
| Surface Engineering of Quantum Dots with Designer Ligands | Tomczak, N., Jańczewski, D., Tagit, O., Han, M-Y., Vancso, G.J. | Surface Design; Applications in Bioscience and Nanotechnology, Book chapter 4.3; Wiley-VCH, 341 – 361 (2009) |
| Stimuli-Responsive Capsules | Ma, Y., Hempenius, M.A., Kooij, E.S., Dong, W-F., Möhwald, H., Vancso, G.J. | Surface Design; Applications in Bioscience and Nanotechnology, Book chapter 4.4; Wiley-VCH, 363 – 382 (2009) |
| Stretching and Rupturing Single Covalent and Associating Macromolecules by AFM Based Single-Molecule Force Spectroscopy | Giannotti, M.I., Shi, W., Zou, S., Schönherr, H., Vancso, G.J. | Surface Design; Applications in Bioscience and Nanotechnology, Book chapter 5.1; Wiley-VCH, 405 – 427 (2009) |

| | | |
|--|---|--|
| Quantitative Lateral Force Microscopy | Schönherr, H., Tocha, E., Song, J., Vancso, G.J. | Surface Design; Applications in Bioscience and Nanotechnology, Book chapter 5.2; Wiley-VCH, 429 – 445 (2009) |
| Block-Copolymer Vesicles as Nanoreactors for Enzymatic Reactions | Chen, Q., Schönherr, H., Vancso G.J. | Small, 5, 1436 – 1445 (2009) |
| Nanoscale patterning by UV nanoimprint lithography using an organometallic resist | Açikgöz, C., Vratzov, B., Hempenius, M.A., Reinhoudt, D.N., Vancso, G.J., Huskens, J. | ACS Appl. Mater. Interf.,1, 2645 – 2650 (2009) |
| Probing single enzyme kinetics in real-time | Chen, Q., Groote, R., Schönherr, H., Vancso, G.J. | Chem. Soc. Rev., 38, 2671 – 2683 (2009) |
| Functionalization of CdSe/ZnS Quantum Dots with Stimulus Responsive Ligands | Dorokhin, D., Tomczak, N., Han, M-Y., Reinhoudt, D.N., Velders, A.H., Vancso, G.J. | Polym. Mater. Sci. Eng.,101, 1254 – 1255 (2009) |
| Quantum Dot/Stimuli Responsive Polymer Hybrid Platforms | Tagit, O., Tomczak, N., Jańczewski, D., Benetti, E.M., Herek, J.L., Vancso, G.J. | Polym. Mater. Sci. Eng.,101, 1251 – 1252 (2009) |
| Poly(Ferrocenylsilane) Polyelectrolyte Hydrogels with Redox Controlled Swelling | Hempenius, M.A., Cirmi, C., Song, J., Vancso, G.J. | Polym. Prepr., 50, 322 – 323 (2009) |
| Layer-by-Layer Engineered Supramolecular Assemblies of Poly(Ferrocenylsilane) Polyions for Release of Molecular Payloads | Vancso, G.J., Song, J., Ma, Y., Arias Lopez, N., Hempenius, M.A. | Polym. Prepr., 50, 294 – 295 (2009) |
| Poly(Ferrocenylsilanes) as Resists in Nanofabrication | Açikgöz, C., Hempenius, M.A., Vancso, G.J., Huskens, J. | Polym. Prepr., 50, 324 – 325 (2009) |
| Block Copolymer Vesicles as Nanosized Reactors for Enzymatic Reactions | Chen, Q., Schönherr, H., Vancso, G.J. | Polym. Prepr., 50, 368 – 369 (2009) |
| Transfer-Printing and Host-Guest Properties of 3D Supramolecular Particle Structures | Ling, X.Y., Phang, I.Y., Reinhoudt, D.N., Vancso, G.J., Huskens, J. | ACS Appl.Mater.& Interf., 40, 960 – 968 (2009) |

| | | |
|--|---|--|
| Janus Particles with Controllable Patchiness and Their Chemical Functionalization and Supramolecular Assembly | Ling, X.Y., Phang, I.Y., Acikgoz, C., Yilmaz, M.D., Hempenius, M.A., Vancso, G.J., Huskens, J. | Angew. Chem. Int. Ed., 48, 7677 – 7682 (2009) |
| Chemistry-Specific Interfacial Forces Between Barnacle (Semibalanus Balanoides) Cyprid Footprint Proteins and Chemically Functionalized AFM Tips | Phang, I.Y., Aldred, N., Ling, X.Y., Tomczak, N., Huskens, J., Clare, A.S., Vancso, G.J. | Journ. Adhesion, 85, 616 – 630 (2009) |
| Free-standing porous supramolecular assemblies of nanoparticles made using a double-templating strategy | Ling, X.Y., Phang, I.Y., Reinhoudt, D.N., Vancso, G.J., Huskens, J. | Faraday Discuss., 143, 117 – 127 (2009) |
| Mechanical Properties of Block Copolymer Vesicle Membranes by Atomic Force Microscopy | Chen, Q., Schönherr, H., Vancso, G.J. | Soft Matter, 5, 4944 – 4950 (2009) |
| Towards true 3-dimensional BCC colloidal crystals with controlled lattice orientation | Dziomkina, N.V., Hempenius, M.A., Vancso, G.J. | Polymer, 50, 5713 – 5719 (2009) |
| Photoluminescence Quenching of CdSe/ZnS Quantum Dots by Molecular Ferrocene and Ferrocenyl Thiol Ligands | Dorokhin, D., Tomczak, N., Velders, A.H., Reinhoudt, D.N., Vancso, G.J. | J. Phys. Chem.C., 113, 18676 – 18680 (2009) |
| AFM:Hydrogen-Bonded Nanostructures on Surfaces | Schönherr, H., Crego-Calama, M., Vancso, G.J., Reinhoudt, D.N. | Dekker Encyclopedia of Nanoscience and Nanotechnology, 2nd Edition, 155 - 167 (2009) |
| CCMV capsid formation induced by a functional negatively charged polymer | Minten, I.J., Ma, Y., Hempenius, M.A., Vancso, G.J., Nolte, R.J.M., Cornelissen, J.J.L.M. | Org. Biomol. Chem., 7, 4685–4688 (2009) |
| Atomic force microscopy of the morphology and mechanical behaviour of barnacle cyprid footprint proteins at the nanoscale | Phang I.Y., Aldred, N., Ling, X.Y., Huskens, J., Clare, A.S., Vancso, G.J. | J.R. Soc. Interface, 7, 285 - 296 (2010) |
| Fabrication and Luminescence of Designer Surface Patterns with β -Cyclodextrin Functionalized Quantum Dots via Multivalent Supramolecular Coupling | Dorokhin, D., Hsu, S-H., Tomczak, N., Reinhoudt, D.N., Huskens, J., Velders, A.H., Vancso, G.J. | ACS Nano, 4, 137 - 142 (2010) |

| | | |
|---|---|--|
| Reactive Imprint Lithography: Combined Topographical Patterning and Chemical Surface Functionalization of Polystyrene-block-poly(tert-butyl acrylate) Films | Duvigneau, J., Cornelissen, S., Bardaji Valls, N., Schönherr, H., Vancso, G.J. | Adv. Funct. Mater., 20, 460 – 468 (2010) |
| Covalent assembly of functional inorganic nanoparticles by "click" chemistry in water | Janczewski, D., Tomczak, N., Liu, S.H., Vancso, G.J. | Chem. Commun., 46, 3253 – 3255 (2010) |
| Surface-Grafted Gel-Brush/Metal Nanoparticle Hybrids | Benetti, E.M., Sui, X., Zapotoczny, S., Vancso, G.J. | Adv. Funct. Mater., 20, 939 – 944 (2010) |
| Poly(ferrocenylsilane) Gels and Hydrogels with Redox-Controlled Actuation | Hempenius, M.A., Cirimi, C., Lo Savio, F., Song, J., Vancso, G.J. | Macromol. Rapid. Comm., 31, 772 – 783 (2010) |
| Characterization and molecular engineering of surface-grafted polymer brushes across the length scales by atomic force microscopy | Sui, X., Zapotoczny, S., Benetti, E.M., Schön, P.M., Vancso, G.J. | J. Mater. Chem., 20, 4981 – 4993 (2010) |
| Nanostructured thermoresponsive quantum dot/PNIPAM assemblies | Tagit, O., Janczewski, D., Tomczak, N., Han, M-Y., Herek, J.L., Vancso, G.J. | Eur. Pol. J., 46, 1397 – 1403 (2010) |
| 3D ordered nanostructures fabricated by nanosphere lithography using an organometallic etch mask | Ling, X.Y., Acikgoz, C., Phang, I.Y., Hempenius, M.A., Reinhoudt, D.N., Vancso, G.J., Huskens, J. | Nanoscale, 2, 1455 - 1460 (2010) |
| Ferrocene-coated CdSe/ZnS Quantum Dots as electroactive nanoparticles hybrids | Dorokhin, D.V., Tomczak, N., Reinhoudt, D.N., Velders, A.H., Vancso, G.J. | Nanotechnology, 21, 285703 – 8 (2010) |
| Scanning Force Microscopy of Polymers | Schönherr, H., Vancso, G.J. | Springer-Verlag Berlin Heidelberg (2010) |
| Electrostatic Assembly of Water-Soluble Poly(ferrocenylsilane) Polyions | Hempenius, M.A., Ma, Y., Kooij, E.S., Vancso, G.J. | Organometallic Compounds; Preparation, Structure and Properties, Book chapter; Nova Publishers, 363 – 382 (2010) |

| | | |
|---|---|--|
| Optical Properties of Poly(ferrocenylsilane) Multilayer Thin Films | Kooij, E. S, Ma, Y., Hempenius, M.A., Vancso, G.J., Poelsema, B. | Langmuir, 26, 14177 – 14181 (2010) |
| An overview on 12-polyurethane: Synthesis, structure and crystallization | Fernández, C.E., Bermúdez, M., Versteegen, R.M., Meijer, E.W., Vancso, G.J., Muñoz-Guerra, S. | Eur. Pol. J., 46, 2089 - 2098 (2010) |
| Enzyme-functionalized polymer brush films on the inner wall of silicon-glass microreactors with tunable biocatalytic activity | Costantini, F., Benetti, Reinhoudt, D.N., Huskens, J., Vancso, G.J., Verboom, W. | Lab on a Chip, 10, 3407 – 3412 (2010) |
| Encapsulation and Release of Molecular Cargos via Temperature-Induced Vesicle-To-Micelle Transitions | Chen, Q., Schönherr, H., Vancso, G.J. | Small, 23, 2762 - 2768 (2010) |
| Reversible pH-Controlled Switching of Poly(methacrylic acid) Grafts for Functional Biointerfaces | Santonicola, M.G., Groot, de, G.W., Memesa, M., Meszyńska, A., Vancso, G.J. | Langmuir, 26, 17513 - 17519 (2010) |
| Nanoscale Thermal AFM of Polymers: Transient Heat Flow Effects | Duvigneau, J., Schönherr, H., Vancso, G.J. | ACS Nano, 4, 6932 - 6940 (2010) |
| Visualizing Resonance Energy Transfer in Supramolecular Surface Patterns of β -CD Functionalized QD Hosts and Organic Dye Guests by Fluorescence Lifetime Imaging | Dorokhin, D., Hsu, S-H., Tomczak, Blum, C., N., Subramaniam, V., Huskens, J., Reinhoudt, D.N., Velders, A.H., Vancso, G.J. | Small, 24, 2870 - 2876 (2010) |
| A Brush-Gel/Metal Nanoparticle Hybrid Film as an Efficient Supported Catalyst in Glass Microreactors | Costantini, F., Benetti, E.M., Tiggelaar, R.M., Gardeniers, H.J.G.E., Reinhoudt, D.N., Huskens, J., Vancso, G.J., Verboom, W. | Chem. Eur.J., 16, 12406 - 12411 (2010) |
| α -Chymotrypsin-Catalyzed Reaction Confined in Block-Copolymer Vesicles | Chen, Q., Rausch, K.G., Schönherr, H., Vancso, G.J. | Chemphyschem, 11, 3534 – 3540 (2010) |

| | | |
|--|--|--|
| Force–Extension Behavior of Single Polymer Chains by AFM | Giannotti, M.I., Kutnyanszky, E., Vancso, G.J. | Scanning Probe Microscopy, Book chapter 4, World Scientific, 75 – 105 (2010) |
| Preparation of a Rapidly Forming Poly(ferrocenylsilane)-Poly(ethylene glycol)-based Hydrogel by a Thiol–Michael Addition Click Reaction | Sui, X., Ingen, van, L., Hempenius, M.A., Vancso, G.J. | Macromol. Rapid. Comm., 31, 2059 - 2063 (2010) |
| Responsive Polymer Brushes: Functional platforms for Membrane Protein Assays | Santonicola, M.G., Groot, de, G.W., Memesa, M., Vancso, G.J. | European Cells Mater., 20, 222 – 222 (2010) |
| Scanning Near-Field Ellipsometry Microscopy: Imaging Nanomaterials with Resolution Below the Diffraction Limit | Tranchida, D.D., Diaz, J., Schön, P.M., Schönherr, H., Vancso, G.J. | Nanoscale, 3, 233 - 239 (2011) |
| Patterns of Surface Immobilized Block Copolymer Vesicle Nanoreactors | Chen, Q., Groot, de, G.W., Schönherr, H., Vancso, G.J. | Eur. Pol. J., 47, 130 – 138 (2011) |
| Quantitative mapping of elastic moduli at the nanoscale in phase separated polyurethanes by AFM | Schön, P.M., Bagdi, K., Molnar, K., Markus, P., Pukanszky, B., Vancso, G.J. | Eur. Pol. J., 47, 692 – 698 (2011) |
| Grafting mixed responsive brushes of poly(N-isopropylacrylamide) and poly(methacrylic acid) from gold by selective initiation | Sui, X., Zapotoczny, S., Benetti, E.M., Memesa, M., Hempenius, M.A., Vancso, G.J. | Polym. Chem., 2, 879 – 884 (2011) |
| Quantitative mapping of surface elastic moduli in silica-reinforced rubbers and rubber blends across the length scales by AFM | Schön, P.M., Dutta, S., Shirazi, M., Noordermeer, J.W.M., Vancso, G.J. | J. Mater. Sci., 46, 3507 – 3516 (2011) |
| Scanning thermal lithography as a tool for highly localized nanoscale chemical surface functionalization | Duvigneau, J., Schönherr, H., Vancso, G.J. | Proceeding MRS Fall meeting 2010, 1318, 162.1-6 (2011) |
| Atomic force microscopy based quantitative mapping of elastic moduli in phase separated polyurethanes and silica reinforced rubbers across the length scales | Schön, P.M., Bagdi, K., Molnar, K., Markus, P., Dutta, S., Shirazi, M., Noordermeer, J.W.M., Pukanszky, B., Vancso, G.J. | Proceeding MRS Fall meeting 2010, 1318, 140.1-6 (2011) |

| | | |
|--|--|--|
| Fabrication and responsive behaviour of Quantum Dot/PNIPAM micropatterns obtained by template copolymerization in water | Janczewski, D., Tomczak, N., Song, J., Long, H., Han, M-Y., Vancso, G.J. | J. Mater. Chem., 21, 6487 – 6490 (2011) |
| Superstability of surface nanobubbles | Borkent, B.M., Dammer, S.M., Schonherr, H., Vancso, G.J., Lohse, D. | Proc. of “OilGasScientificResearchProject” Institute, 1 , 64 – 68 (2011) |
| Influence of the length and grafting density of PNIPAM chains on the colloidal and optical properties of quantum dot/PNIPAM assemblies | Tagit, O., Tomczak, N., Jafarpour, A., Janczewski, D., Han, M-Y., Vancso, G.J., Herek, J.L. | Nanotechnology, 22, 265701- 7 (2011) |
| Probing the Collapse Dynamics of Poly(N -isopropylacrylamide) Brushes by AFM: Effects of Co-nonsolvency and Grafting Densities | Sui, X., Chen, Q., Hempenius, M.A., Vancso, G.J. | Small, 7, 1440 – 1447 (2011) |
| Compared Crystal Structure and Morphology of Nylon 12 and 10-Polyurethane Lamellar Crystals | Fernández, C.E., Bermúdez, M., Alla, A., Muñoz-Guerra, S., Tocha, E., Vancso, G.J. | Polymer, 52, 1515 – 1522 (2011) |
| Nanostructured Polymer Brushes by UV-Assisted Imprint Lithography and Surface-Initiated Polymerization for Biological Functions | Benetti, E.M., Acikgoz, C., Sui, X., Vratzov, B., Hempenius, M.A., Huskens, J., Vancso, G.J. | Adv. Funct. Mater., 21, 2088 – 2095 (2011) |
| Responsive organometallic polymer grafts: Electrochemical switching of surface properties and current mediation behavior | Song, J., Vancso, G.J. | Langmuir, 27, 6822 – 6829 (2011) |
| Surface functionalization of titanium dioxide nanoparticles with alkanephosphonic acids for transparent nanocomposites | Ruiterkamp, G.J., Hempenius, M.A., Wormeester, H., Vancso, G.J. | J. Nanopart. Res., 13, 2779 – 2790 (2011) |
| Poly(ferrocenylsilane) based microgel particles obtained by microfluidics | Vancso, G.J., Sui, X., Shui, L., Berg, van den, A., Hempenius, M.A. | Polym. Prepr., 52, 870 – 871 (2011) |
| Poly(ferrocenylsilane) hydrogels | Hempenius, M.A., Sui, X., Vancso, G.J. | Polym. Prepr., 52, 872 – 873 (2011) |

| | | |
|--|--|--|
| Synthesis of functionalized amphiphilic polymers for coating quantum dots | Janczewski, D., Tomczak, N., Han, M-Y., Vancso, G.J. | Nature Protocols, 6, 1546 – 1553 (2011) |
| pH Dependent Elasticity of Polystyrene-blockpoly(acrylic acid) Vesicle Shell Membranes by Atomic Force Microscopy | Chen, Q., Vancso, G.J. | Macromol. Rapid Commun., 32, 1704-1709 (2011) |
| Surface analysis of localized corrosion of austenitic 316L and duplex 2205 stainless steels in simulated body solutions | Conradi, M., Schön, P.M., Kocijana, A., Jenko, M., Vancso, G.J. | J. Mat. Chem. Phys., 130, 708 – 713 (2011) |
| Stability and Cell Adhesion Properties of Poly(N-isopropylacrylamide) Brushes with Variable Grafting Densities | Sui, X., Di Luca, A., Klein Gunnewiek, M., Kooij, E.S., Blitterswijk, Van, C.A., Moroni, L., Hempenius, M.A., Vancso, G.J. | Australian J. of Chem., 64, 1261 – 1268 (2011) |
| Surface nanostructure of Hevea brasiliensis natural rubber latex particles | Nawamawat, K., Sakdapipanich, J.T., Ho, C.C., Ma, Y., Song, J., Vancso, G.J. | J. Coll. Surf. A, 390, 157 – 166 (2011) |
| Self-Complementary Recognition of Supramolecular Urea - Aminotriazines in Solution and on Surfaces | Embrechts, A., Velders, A.H., Schönherr, H., Vancso, G.J. | Langmuir, 27, 14272 – 14278 (2011) |
| Forced Unbinding of Individual Urea – Aminotriazine Supramolecular Polymers by Atomic Force Microscopy: A Closer Look at the Potential Energy Landscape and Binding Lengths at Fixed Loading Rates | Embrechts, A., Schönherr, H., Vancso, G.J. | Journ. Phys. Chem. B., 116, 565 – 570 (2012) |
| Interlaboratory round robin on cantilever calibration for AFM force spectroscopy | Riet, te, Joost., Katanc, A.J., Rankld, C., Stahl, S.W., Buulf, van, A.M., Phang, I.Y., Gomez-Casado, A., Schön, P., Gerritsen, J.W., Cambi, A., Rowan, A.E., Vancso, G.J., Speller, S. et al. | Ultramicroscopy, 111, 1659 – 1669 (2011) |
| Polymers in conventional and alternative lithography for the fabrication of nanostructures | Acikgoz, C., Hempenius, M.A., Huskens, J., Vancso, G.J. | Eur. Pol. J., 47, 692 – 698 (2011) |

| | | |
|---|--|---|
| Nanomechanical properties of polymer brushes by colloidal AFM probes | Kutnyanszky, E., Vancso, G.J. | Eur. Pol. J., 48, 8 – 15 (2012) |
| Enabling biomedical research with designer quantum dots | Tomczak, N., Janczewski, D., Dorokhin, D., Han, M-Y., Vancso, G.J. | Methods in Molecular Biology, 811, 245 - 265 (2012) |
| Surface-grafted zwitterionic polymers as platforms for functional supported phospholipid membranes | Santonicola, M., Memesa, M., Meszyńska, A., Ma, Y., Vancso, G.J. | Soft Matter, 8, 1556-1562 (2012) |
| Controlled surface initiated polymerization of N-isopropylacrylamide from polycaprolactone substrates for regulating cell attachment and detachment | Klein Gunnewiek, M., Di Luca, A., Sui, X., Van Blitterswijk, C.A., Moroni, L., Vancso, G.J. | Israel J. Chem., 52, 339-346 (2012) |
| Redox-active Crosslinkable Poly(ionic liquid)s | Sui, X., Hempenius, M.A., Vancso, G.J. | J. Am. Chem. Soc., 134, pp. 4023-4025 (2012) |
| Organometallic polymeric carriers for redox triggered release of molecular payloads | Jańczewski, D., Song, J., Csányi, E., Kiss, L., Blazsó, P., Katona, R.L., Deli, M.A., Gros, G., Xu, J., Vancso, G.J. | J. Mat. Chem., 22, 6429-6435 (2012) |
| Is there a molecular signature of the LCST of single PNIPAM chains as measured by AFM force spectroscopy? | Kutnyanszky, E., Embrechts, A., Hempenius, M.A., Vancso, G.J. | Chem. Phys. Let., 535, 126-130 (2012) |
| Electrochemical sensing by surface-immobilized poly(ferrocenylsilane) grafts | Sui, X., Feng, X., Song, J., Hempenius, M.A., Vancso, G.J. | J. Mat. Chem., 22, 11261-11267 (2012) |
| Probing the thermal collapse of poly(n -isopropylacrylamide) grafts by quantitative in situ ellipsometry | Kooij, E.S., Sui, X., Hempenius, M.A., Zandvliet, H.J.W., Vancso, G.J. | Phys. Chem. B., 116, 9261 – 9268 (2012) |
| Variable-temperature study of the transport through a single octanethiol molecule | Heimbuch, R., Wu, H., Kumar, A., Poelsema, B., Schön, P., Vancso, G.J., Zandvliet, H.J.W. | Phys. Rev. B., 86, 075456-1 – 4 (2012) |

| | | |
|---|--|--|
| Quantitative estimation of the strength of specific interactions in polyurethane elastomers, and their effect on structure and properties | Bagdi, K., Molnár, K., Kállay, M., Schön, P., Vancso, G.J., Pukánszky, B. | Eur. Pol. J., 48, 1854 – 1865 (2012) |
| Poly(N-isopropylacrylamide)-poly(ferrocenylsilane) dual responsive hydrogels: Synthesis, Characterization and antimicrobial application | Sui, X., Feng, X., Di Luca, A., van Blitterswijk, C.A., Moroni, L., Hempenius, M.A., Vancso, G.J. | Polym. Chem., 4, 337 – 342 (2013) |
| Redox-controlled release of molecular payloads from multilayered organometallic polyelectrolyte films | Song, J., Janczewski, D., Ma, Y., Hempenius, M.A., Xua, J., Vancso, G.J. | J. Mater. Chem. B., 1, 828 – 834 (2013) |
| Probing biofouling resistant polymer brush surfaces by atomic force microscopy based force spectroscopy | Schön, P.M., Kutnyanszky, E., ten Donkelaar, B., Santonicola, M.G., Tecim, T., Aldred, N., Clare, A.S., Vancso, G.J. | J.Coll. Surf. B: Biointerf., 102, 923-930 (2013) |
| Unusual crystals of poly(ϵ -caprolactone) by unusual crystallisation: The effects of rapid cooling and fast solvent loss on the morphology, crystal structure and melting | Sanandaji, N., Ovaskainen, L., Klein Gunnewiek, M., Vancso, G.J., Hedenqvist, M.S., Yu, S.c, Eriksson, L., Roth, S.V., Gedde, U.W. | Polymer, 54, 1497 - 1503 (2013) |
| Dynamics of Decanethiol Self-Assembled Monolayers on Au(111) Studied by Time-Resolved Scanning Tunneling Microscopy | Wu, H., Sotthewes, K., Kumar, A., Vancso, G.J., Schön, P.M., Zandvliet, H.J.W. | Langmuir, 29, 2250 – 2257 (2013) |
| Redox active gels: synthesis, structures and applications | Sui, X., Feng, X., Hempenius, M.A., Vancso, G.J. | J. Mater. Chem. B, 1, 1658 – 1672 (2013) |
| Switching Transport through Nanopores with pH-Responsive Polymer Brushes for Controlled Ion Permeability | Groot, De G.W. Santonicola, M.G., Sugihara, K., Zambelli, T., Reimhult, E., Vörös, J., Vancso, G.J. | Appl. Mater. Interf., 5, 1400 – 1407 (2013) |

| | | |
|--|--|--|
| Molecular Dynamics and Energy Landscape of Decanethiolates in Self-Assembled Monolayers on Au(111) Studied by Scanning Tunneling Microscopy | Sotthewes, K., Wu, H., Kumar, A., Vancso, G.J., Schön, P.M., Zandvliet, H.J.W. | Langmuir, 29, 3662 – 3667 (2013) |
| Imaging of Mechanical Properties of Soft Matter. From Heterogeneous Polymer Surfaces to Single Biomolecules | Schön, P.M., Gosa, M., Vancso, G.J. | G.I.T. Imaging & Microscopy, 15, 43 – 46 (2013) |
| Covalent Layer-by-Layer Assembly of Redox-Active Polymer Multilayers | Feng, X., Cumurcu, A., Sui, X. Song, J., Hempenius, M.A., Vancso, G.J. | Langmuir (Special Issue, Interfacial Nanoarchitectonics), 29, 7257 – 7265 (2013) |
| Multimodal imaging of heterogeneous polymers at the nanoscale by AFM and scanning near-field ellipsometric microscopy (Conference Paper) | Cumurcu, A., Duvigneau, J., Lindsay, I.D., Schön, P., Vancso, G.J. | Eur. Pol. J., 49, 1935 – 1942 (2013) |
| Vinylimidazole-Based Asymmetric Ion Pair Comonomers: Synthesis, Polymerization Studies and Formation of Ionically Crosslinked PMMA | Jana, S., Vasantha, V.A., Stubbs, L.P., Parthiban, A., Vancso, G.J. | J. Pol. Chem. Part A: Pol. Chem., 51, 3260 – 3273 (2013) |
| Electrochemically controlled release of molecular guests from redox responsive polymeric multilayers and devices | Song, J., Jańczewski, D., Ma, Y., van Ingen, L., Ee Sim, C., Goh, Q., Xu, J., Vancso, G.J. | Eur. Pol. J., 49, 2477 – 2484 (2013) |
| Disassembly of redox responsive poly(ferrocenylsilane) multilayers: The effect of blocking layers, supporting electrolyte and polyion molar mass | Song, J., Jańczewski, D., Ma, Y., Hempenius, M., Xu, J., Vancso, G.J. | J. Coll. Interf. Sci., 405, 256 – 261 (2013) |
| Cross-linked polyelectrolyte multilayers for marine antifouling applications | Zhu, X., Jańczewski, D., Lee, S.S.C., Teo, S.L.-M., Vancso, G.J. | ACS Appl. Mater. Interf. , 5, 5961 – 5968 (2013) |
| Structure, properties and interfacial interactions in poly(lactic acid)/polyurethane blends prepared by reactive processing | Imre, B., Bedo, D., Domján, A., Schön, P., Vancso, G.J., Pukánszky, B. | Eur. Pol. J., 49, 3104 – 3113 (2013) |
| Scanning probe microscopy of soft matter: Recent progress (Conference Paper) | Schön, P.M., Schönherr, H., Leclère, P., Vancso, G.J. | Eur. Pol. J., 49, 1894 – 1896 (2013) |

| | | |
|---|--|--|
| Advanced macromolecular systems across the length scales: Smart, nanostructured polymers for controlled molecular release and at biological interfaces | Vancso, G.J. | Eur. Pol. J., 49, 2388 – 2391 (2013) |
| Enhanced stability of low fouling zwitterionic polymer brushes in seawater with diblock architecture | Quintana, R., Gosa, M., Jańczewski, D., Kutnyanszky, E., Vancso, G.J. | Langmuir, 29, 10859 – 10867 (2013) |
| Thin polymer brush decouples biomaterial's micro-/nanotopology and stem cell adhesion | Klein Gunnewiek, M., Benetti, E.M., Di Luca, A, Van Blitterswijk, C.A., Vancso, G.J. | Langmuir, 29, 13843 - 13852 (2013) |
| Redox responsive nanotubes from organometallic polymers by template assisted layer by layer fabrication | Song, J., Jańczewski, D., Guo, Y.Y., Xu, J., Vancso, G.J. | Nanoscale, 5, 11692–11698 (2013) |
| Polymer-coated quantum dots | Tomczak, N. Liua, R., Vancso, G.J. | Nanoscale, 5, 12018 – 12032 (2013) |
| Water swelling, brine soluble imidazole based zwitterionic polymers - synthesis, studies of reversible UCST behaviour and gel-sol transitions | Vasanthar, V.A., Parthiban, S.J.A., Vancso, G.J. | Chem. Comm., 50, 46 – 48 (2014) |
| Polymer bottlebrushes with redox responsive backbone feel the heat: Synthesis and characterization of dual responsive poly(ferrocenylsilane)s with PNIPAM side chains | Kutnyanszky, E., Hempenius, M.A., Vancso, G.J. | Polym. Chem., 5, 771 – 783 (2014) |
| Sieving of Hot Gases by Hyper-Cross-Linked Nanoscale-Hybrid Membranes | Raaijmakers, M.J.T., Hempenius, M.A., Schön, P.M., Vancso, G.J. Nijmeijer, A., Wessling, M., Benes, N.E. | J. Am. Chem. Soc., 136, 330 – 335 (2014) |
| Multilayers of Fluorinated Amphiphilic Polyions for Marine Fouling Prevention | Zhu, X., Guo, S., Janczewski, D., Parra Velandia, F.J., Teo, S. L-M., Vancso, G.J. | Langmuir, 30, 288 – 296 (2014) |
| Adhesion forces in AFM of redox responsive polymer grafts: Effects of tip hydrophilicity | Feng, X., Kieviet, B.D., Song, J., Schön, P.M., Vancso, G.J. | Appl. Surf. Sci., 292, 107– 110 (2014) |

| | | |
|--|--|---|
| Smart polymer brush nanostructures guide the self-assembly of pore-spanning lipid bilayers with integrated membrane proteins | Groot, De G.W., Demarche, S., Santonicola, M.G, Tiefenauer, L., Vancso, G.J. | Nanoscale, 6, 2228 – 2237 (2014) DOI: 10.1039/c3nr05356c |
| Redox-responsive organometallic microgel particles prepared from poly(ferrocenylsilane)s generated using microfluidics | Sui, X., Shui, L., Cui, J., Xie, Y., Song, J., Van den Berg, A., Hempenius, M.A., Vancso, G.J. | Chem. Comm., 50, 3058 – 3060 (2014) |
| Nanoscale mechanical properties of single biomolecules by AFM | Schön, P.M., Gosa, M., Vancso, G.J. | Rev. Roum. Chim., 58, 577- 583 (2013) |
| Collapse from the top: Brushes of poly(N-isopropylacrylamide) in co-nonsolvent mixtures | Chen, Q., Kooij, E.S., Sui, X., Padberg, C.J., Hempenius, M.A., Schön, P.M., Vancso, G.J. | Soft Matter, 10, 3134-3142 (2014) |
| Colloidal, water soluble probes constructed with quantum dots and amphiphilic poly(ferrocenylsilane) for smart redox sensing | Jańczewski, D., Song, J., Vancso, G.J. | Eur. Pol. J., 54, 87– 94 (2014) |
| Solvent-induced immiscibility of polymer brushes eliminates dissipation channels | Beer, de, S., Kutnyanszky, E., Schön, P.M., Vancso, G.J., Müser, M.H. | Nature Comm., 5, 3781 - 3787 (2014) |
| Raft crystals of poly(isoprene)-block-poly(ferrocenyldimethylsilane) and their surface wetting behavior during melting as observed by AFM and NanoTA | Duvigneau, J., Kutnyanszky, E., Phang, I.Y., Chung, H.-J., Wu, H., Dos Ramos, L., Gädt, T., Yusoff, S.F.M., Hempenius, M.A., Manners, I., Vancso, G.J. | Polymer (UK), 55, 2716 – 2724 (2014) DOI: 10.1016/j.polymer.2014.04.021 |
| Electrografting of stimuli-responsive, redox active organometallic polymers to gold from ionic liquids | Feng, X., Sui, X., Hempenius, M.A., Vancso, G.J. | J. Am. Chem. Soc., 136, 7865 - 7868 (2014) |
| Sulfobetaine-based polymer brushes in marine environment: Is there an effect of the polymerizable group on the antifouling performance? | Quintana, R., Jańczewski, D., Vasantha, V.A., Jana, S., Lee, S.S.C., Parra-Velandia, F.J., Guo, S., Parthiban, A., Teo, S.L.M., Vancso, G.J. | J.Coll. Surf. B: Biointerf., 120, 118 - 124 (2014) |

| | | |
|--|--|---|
| Biomimicking Micropatterned Surfaces and Their Effect on Marine Biofouling | Brzowska, A.M., Parra-Velandia, F.J., Quintana, R., Xiaoying, Z., Lee, S.S.C., Chin-Sing, L., Jańczewski, D., Teo, S.L-M., Vancso, G.J. | Langmuir, 30, 9165–9175 (2014) DOI: org/10.1021/la502006s |
| Glad en glibberig door biogeïnspireerde polymeerborstels | Beer, de, S., Kutnyanszky, E., Vancso, G.J., Müser, M.H. | Nederlands Tijdschrift voor Natuurkunde, 80, 330-333 (2014) |
| Sub-nanometer expansions of redox responsive polymer films monitored by imaging ellipsometry | Cumurcu, A., Feng, X., Dos Ramos, L., Hempenius, M.A., Schön, P.M., Vancso, G.J. | Nanoscale, 6, 12089 – 12095 (2014) DOI: 10.1039/c4nr02852j |
| Dynamics of oligo(phenylene-ethynylene) self-assembled monolayers on Au(1 1 1) | Wu, H., Sotthewesa, K., Méndez-Ardoyc, A., Kudernacc, T., Huskens, J., Lenferink, A., Otto, C., Schön, P.M., Vancso, G.J., Zandvliet, H.J.W. | Chem. Phys. Lett., 614, Pages 45 – 48 (2014) |
| Stimulus-responsive polymers and other functional polymer surfaces as components in glass microfluidic channels | Kieviet, B.D., Schön, P.M., Vancso, G.J. | Lab Chip, 14, 4159 – 4170 (2014) DOI: 10.1039/c4lc00784k |
| Breathing Pores on Command: Redox-Responsive Spongy Membranes from Poly(ferrocenylsilane)s | Zhang, K., Feng, X., Sui, X., Hempenius, M. A., Vancso, G. J. | Angew. Chem. Int. Ed., 53, 13789 –13793 (2014) |
| Preparation and Friction Force Microscopy Measurements of Immiscible, Opposing Polymer Brushes | Beer de, S., Kutnyanszky E., Müser, M.H., Vancso, G.J. | Journal of Visualized Experiments video article, 94, e52285, doi:10.3791/52285 (2014) |
| Barnacle larvae exploring surfaces with variable hydrophilicity: Influence of morphology and adhesion of "footprint" proteins by AFM | Guo, S., Puniredd, S.R., Jańczewski, D., Lee, S.S.C., Teo, S.L.M., He, T., Zhu, X., Vancso, G.J. | ACS Appl. Mater. Interf., 6, 13667-13676 (2014) |
| Imprinting of metal receptors into multilayer polyelectrolyte films: fabrication and applications in marine antifouling | Puniredd, S.R., Jańczewski, D., Go, D.P., Zhu, X., Guo, S., Teo, S. L. M., Lee, S. S. C. and Vancso, G.J. | Chem. Sci., 6, 372 – 383 (2015) DOI: 10.1039/c4sc02367f |

| | | |
|--|---|--|
| Dual hydrophilic and salt responsive schizophrenic block copolymers – synthesis and study of self-assembly behavior | Vasanth, V.A., Jana, S., Lee, S.S.C., Lim, C.S., Teo, S.L.M., Parthiban, A., Vancso, G.J. | Polymer Chemistry, 6, 599 – 606 (2015) DOI: 10.1039/c4py01113a |
| Redox-responsive organometallic hydrogels for in-situ metal nanoparticle synthesis | Zoetebier, B., Hempenius, M.A., Vancso, G.J. | Chem. Comm., 51, 636 – 639 (2015) DOI: 10.1039/c4cc06988a |
| Optical imaging beyond the diffraction limit by SNEM: Effects of AFM tip modifications with thiol monolayers on imaging quality | Cumurcu, A., Diaz, J., Lindsay, I.D., Beer de, S., Duvigneau, J., Schön, P., Vancso, G.J. | Elsevier Ultramicroscopy, 150, 79 – 87 (2015) DOI: 10.1016/j.ultramic.2014.12.001 |
| The influence of chain defects on the crystallization behaviour of isotactic polypropylene | Meer van der, D.W., Varga, J., Vancso, G.J. | eXPRESS Polymer Letters, 9 (3) 233 – 254 (2015) DOI: 10.3144/expresspolymlett.2015.23 |
| Cosolvency-Induced Switching of the Adhesion between Poly(methyl methacrylate) Brushes | Yu, Y., Kieviet, B.D., Kutnyanszky, E., Vancso, G.J., Beer de, S. | ACS Macro Lett., 4, (1), 75 – 79 (2015) DOI: 10.1021/mz500775w |
| Nanocellular polymer foams as promising high performance thermal insulation materials | Liu, S., Duvigneau, J., Vancso, G.J. | European Polymer Journal, 65, 33 – 45 (2015) DOI:10.1016/j.eurpolymj.2015.01.039 |
| Polyion multilayers with precise surface charge control for antifouling | Zhu, X., Jańczewski, D., Guo, S., Lee, S.S.C., Parra Velandia, F.J., Teo, S.L.M., He, T., Puniredd, S.R., Vancso, G.J. | ACS Appl Mater. Interf., 7, 852 – 861 (2015) DOI: 10.1021/am507371a |
| Fabrication of Copper Nanowire Films and their Incorporation into Polymer Matrices for Antibacterial and Marine Antifouling Applications | Jiang, S., Sreethawong, T., Siew Chen Lee, S., Bee Jin Low, M., Yin Win, K., Brzozowska, A. M., Lay-Ming Teo, S., Vancso, G. J., Janczewski, D., Han, M.-Y. | Advanced Materials Interfaces, 2, 1400483 - 1400490 (2015) DOI: 10.1002/admi.201400483 |
| Creeping Proteins in Microporous Structures: Polymer Brush-Assisted Fabrication of 3D Gradients for Tissue | Klein Gunnewiek, M., Di Luca, A., Bollemaat, H.Z., Blitterswijk van, C.A., Vancso, G.J., Moroni, L., Benetti, E.M. | Advanced Healthcare Materials, 4(8):1169-1174 (2015) DOI: 10.1002/adhm.201400797 |

| | | |
|---|--|---|
| Writing nanopatterns with electrochemical oxidation on redox responsive organometallic multilayers by AFM | Song, J., Hempenius, M.A., Chung, H.J., Vancso, G.J. | Nanoscale RSC, , 7, 9970-9974 (2015) DOI: 10.1039/c5nr01206f |
| Synthesis of poly(arylene ether ketone)s bearing skeletal crown ether units for cation exchange membranes | Zoetebier, B., Tas, S., Vancso, G.J., Nijmeijer, D.C., Hempenius, M.A. | Journal of Polymer Science, Part A, JPOL-A-15-0324, 53 (23), 2786 – 2793 (2015) DOI: 10.1002/pola.27752 |
| Poly(ferrocenylsilanes) with Controlled Macromolecular Architecture by Anionic Polymerization: Applications in Patterning and Lithography | Dos Ramos, L., Hempenius, M.A., Vancso, G.J. | Anionic Polymerization, Springer, ISBN 978-4-431-54185-1, 387-427 (2015) DOI: 10.1007/978-4-431-54186-8 |
| Stretching of collapsed polymers causes an enhanced dissipative response of PNIPAM brushes near their LCST | Yu, Y., Kieviet, B.D., Liu, F., Siretanu, I., Kutnyánszky, E., Vancso, G.J., Beer de, S. | Soft Matter, DOI: 10.1039/c5sm01426c |
| Thin film hydrogels from redox responsive poly(ferrocenylsilanes): Preparation, properties, and applications in electrocatalysis | Feng, X., Wu, H., Sui, X., Hempenius, M.A., Vancso, G.J. | European Polymer Journal, Elsevier, 72, 535-542 (2015) DOI: 10.1016/j.eurpolymj.2015.05.022 |
| Redox-Induced Backbiting of Surface-Tethered Alkylsulfonate Amphiphiles: Reversible Switching of Surface Wettability and Adherence | Dos Ramos, L., De Beer, S., Hempenius, M.A., Vancso, G.J. | Langmuir, 31 (23), pp. 6343-6350 (2015) DOI: 10.1021/acs.langmuir.5b01105 |
| Ordering and dynamics of oligo(phenylene ethynylene) self-assembled monolayers on Au(111) | Wu, H., Sotthewes, K., Schön, P.M., Vancso, G.J., Zandvliet, H.J.W. | RSC Advances, 5 (52), pp. 42069-42074 (2015) DOI: 10.1039/c5ra03577e |
| Fifty years of polymer science | Du Prez, F., Hoogenboom, R., Klumperman, B., Meier, M., Monteiro, M., Müller, A., Vancso, G.J. | European Polymer Journal, 65, p.3 (2015) DOI: 10.1016/j.eurpolymj.2015.02.017 |
| Controlling pores on demand | Vancso, G.J. | Membrane Technology, (2), p.7 (2015) DOI: 10.1016/S0958-2118(15)30037-9 |
| Organometallic polymers for electrode decoration in sensing applications | Feng, X., Zhang, K., Hempenius, M.A., Vancso, G.J. | RSC Advances, 5, 106355-106376 (2015) DOI: 10.1039/C5RA21256A |

| | | |
|--|--|--|
| Electrochemical atomic force microscopy reveals potential stimulated height changes of redox responsive Cu-azurin on gold | Wu, H., Feng, X., Kieviet, B.D., Zhang, K., Zandvliet, H.J.W., Canters, G.W., Schön, P.M., Vancso, G.J. | European Polymer Journal, DOI:10.1016/j.eurpolymj.2015.12.002 |
| Stem-Cell Clinging by a Thread: AFM Measure of Polymer-Brush Lateral Deformation | Klein Gunnewiek, M., Ramakrishna, S.N., Di Luca, A., Vancso, G.J., Moroni, L., Benetti, E.M. | Advanced Materials Interfaces, 3 (3), pp 1-13 (2016) DOI: 10.1002/admi.201500456 |
| Efficient and Robust Coatings Using Poly(2-methyl-2-oxazoline) and Its Copolymers for Marine and Bacterial Fouling Prevention | He, T., Janczewski, D., Jana, S., Parthiban, A., Guo, S., Zhu, X., Lee, S.S.-C., Parra-Velandia, F.J., Teo, S.L.-M., Vancso, G.J. | Polymer Chemistry, 54 (2), pp 275-283 (2016) DOI:10.1002/pola.27912 |
| Surface energy and stiffness discrete gradients in additive manufactured scaffolds for osteochondral regeneration | Di Luca, A., Longoni, A., Criscenti, G., Lorenzo-Moldero, I., Klein-Gunnewiek, M., Vancso, G.J., Blitterswijk van, C., Mota C., Moroni, L. | Biofabrication, 8 (1), (2016) DOI: 10.1088/1758-5090/8/1/015014 |
| In-line Sensing of Sodium Ascorbate Using a Poly(ferrocenylsilane)-coated Microfluidic Device | Kieviet, B.D., Dos Ramos, L., Hempenius, M.A., Duvigneau, J., Schön, P.M., Vancso, G.J. | European Polymer Journal 83 pp 337–343 (2016) DOI: 10.1016/j.eurpolymj.2016.08.026 |
| Measuring protein isoelectric points by AFM-based force spectroscopy using trace amounts of sample | Zhu, X., Guo, S., Janczewski, D., Lee, S.S.C., He, T., Teo, S.L.M., Vancso, G.J. | Nature Nanotechnology, 11, 817-823 (2016), DOI: 10.1038/nnano.2016.118 |
| PEG stabilized DNA – poly(ferrocenylsilane) polyplexes for gene delivery | Zoetebier, B., Sohrabi, A., Lou, B., Hempenius, M.A., Hennink, W.E., Vancso, G.J. | Chem Comm, 52, pp 7707-7710 (2016) DOI: 10.1039/c6cc02733d |
| Mimicking natural cell environments: design, fabrication and application of bio-chemical gradients on polymeric biomaterial substrates | Benetti, E.M., Klein Gunnewiek, M., Blitterswijk van, C.A., Vancso, G.J., Moroni, L. | J. Mater Chem B., 4, 4244-4257 (2016) DOI: 10.1039/c6tb00947f |

| | | |
|---|--|---|
| Redox control of capillary filling speed in poly(ferrocenylsilane)-modified microfluidic channels for switchable delay valves | Dos Ramos, L., Lajoinie, G., Kieviet, B.D., Beer de, S., Versluis, M., Hempenius, M.A., Vancso, G.J. | European Polymer Journal, 83, pp 507-516 (2016) DOI: 10.1016/j.eurpolymj.2016.06.002 |
| Monovalent cation selective crown ether containing poly(arylene ether ketone)/SPEEK blend membranes | Tas, S., Zoetebier, B., Hempenius, M.A., Vancso, G.J., Nijmeijer, K. | RSC Advances, 6, 55635–55642 (2016) DOI: 10.1039/c6ra11566g |
| Mechanical mapping and morphology across the length scales unveil structure-property relationships in polycaprolactone based polyurethanes | Gojzewski, H., Imre, B., Check, C., Chartoff, R., Vancso, G.J. | Journal of Polymer Science-Polymer Physics, 54 (22), 2298–2310 (2016) DOI: 10.1002/polb.24140 |
| Tunable Friction by Employment of Co-Non-Solvency of PNIPAM Brushes | Yu Y., Cirelli, M., Kieviet, B.D., Kooij, E.S., Vancso, G.J., Beer de, S. | Polymer, 102, 372-378 (2016) DOI: org/10.1016/j.polymer.2016.08.029 |
| Engineered, Robust Polyelectrolyte Multilayers by Precise Control of Surface Potential for Designer Protein, Cell, and Bacteria Adsorption | Zhu, X., Guo S., He T., Jiang S., Jańczewski D., Vancso, G.J. | Langmuir, 32, (5), pp 1338–1346 (2016) DOI: 10.1021/acs.langmuir.5b04118 |
| Highly Swellable, Dual-Responsive Hydrogels Based on PNIPAM and Redox Active Poly(ferrocenylsilane) Poly(ionic liquid)s: Synthesis, Structure, and Properties | Feng, X., Zhang, K., Chen, P., Sui, X., Hempenius, M.A., Liedberg, B., Vancso, G.J. | Macromolecular Rapid Communications, 37 (23), pp 1939-1944 (2016) DOI: 10.1002/marc.201600374 |
| Nanocellular polymer foams nucleated by core-shell nanoparticles | Liu, S., Zoetebier, B., Hulsman, L., Zhang, Y., Duvigneau, J., Vancso, G.J. | Polymer, 104, 22-30 (2016) DOI: 10.1016/j.polymer.2016.09.016 |
| Antifouling Evaluation of Novel Zwitterionic Polymers in the Sea | Parthiban, A., Arjunan Vasantha, V., Jana, S., Vancso, G.J., Lee, S.S.-C., Lim, C.-S., Teo, S.L.-M. | Conference Proceedings, MTEC2017, 26-28 April 2017, Singapore |
| Ion-selective ionic polymer metal composite (IPMC) actuator based on crown ether containing sulfonated poly(arylene ether ketone) | Tas, S., Hempenius, M.A., Zoetebier, B., Vancso, G.J., Nijmeijer, D.C. | Macromolecular Materials and Engineering 3 (4), 1600381–1600381 (2017), DOI: 10.1002/mame.201600381 |

| | | |
|--|--|--|
| Synchrotron SAXS and Impedance Spectroscopy Unveil Nanostructure Variations in Redox-Responsive Porous Membranes from Poly(ferrocenylsilane) Poly(ionic liquid)s | Folkertsma, L., Zhang, K., Czakkel, O., Boer de, H.L., Hempenius, M.A., Berg van den, A., Odijk, M., Vancso, G.J. | Macromolecules 50, pp 296–302 (2017) DOI: 10.1021/acs.macromol.6b02318 |
| Comparison of three types of redox active polymer for two-photon stereolithography | Folkertsma - Hendriks, L., Zhang, K., Hempenius, M.A., Berg, A. van den, Vancso, G.J., Odijk, M. | Polymers for Advanced Technologies 28, pp 1194-1197 (2017), DOI: 10.1002/pat.3998 |
| Thermoresponsive Semi-IPN Hydrogel Microfibers from Continuous Fluidic Processing with High Elasticity and Fast Actuation | Liu, Y., Zhang, K., Ma, J., Vancso, G.J. | ACS Applied Materials and Interfaces 9, pp 901–908 (2017) DOI: 10.1021/acsami.6b13097 |
| Pulling angle-dependent force microscopy | Grebíková, L., Gojzewski, H., Kieviet, B. D., Klein Gunnewiek, M, Vancso, G. J. | AIP Review of Scientific Instruments 88 (3), 033705 (2017) DOI: 10.1063/1.4978452 |
| Effect of Variations in Micro-patterns and Surface Modulus on Marine Fouling of Engineering Polymers | Brzozowska, A.M., Maassen, S., Goh Zhi Rong, R., Benke, P., Lim, C.S., Marzinelli, E.M., Jańczewski, D., Teo, S.L.M., Vancso, G.J. | ACS Applied Materials and Interfaces 9 (20), pp 17508–17516 (2017) DOI: 10.1021/acsami.6b14262 |
| Pick up, move and release of nanoparticles utilizing co-non-solvency of PNIPAM brushes | Yunlong Yu, Ricardo A Lopez de la Cruz, Bernard D Kieviet, Hubert Gojzewski, Adeline Pons, G Julius Vancso, Sissi de Beer | Nanoscale 9, pp 1670-1675 (2017) DOI: 10.1039/C6NR09245D |
| Substantially enhanced stability against degrafting of zwitterionic PMPC brushes by utilizing PGMA-linked initiators | Yunlong Yu, G. Julius Vancso, Sissi de Beer | European Polymer Journal 89 pp 221–229 (2017) DOI: 10.1016/j.eurpolymj.2017.02.033 |
| Covalent binding of bone morphogenetic protein-2 and transforming growth factor- β 3 to 3D plotted scaffolds for osteochondral tissue regeneration | Di Luca, A., Klein-Gunnewiek, M., Vancso, G.J., Blitterswijk van, C.A., Benetti, E.M., Moroni, L. | Biotechnology Journal (accepted 31 August 2017) |
| Hydrogels with a Memory: Dual-Responsive, Organometallic Poly(ionic liquid)s with Hysteretic Volume-Phase Transition | Zhang, K., Feng, X., Ye, C., Hempenius, M.A., Vancso, G.J. | Journal of the American Chemical Society (2017) 139 (29), pp. 10029-10035. |

Properties and Phase Structure of Polycaprolactone Based Segmented Polyurethanes with Varying Hard and Soft Segments: Effects of Processing Conditions

Balazs Imre , Hubert Gojzewski, Casey Check, Richard Chartoff, G. Julius Vancso

Macromolecular Chemistry and Physics, in press.

Switching Light Transmittance by Responsive Organometallic Poly(ionic liquid)s: Control by Cross Talk of Thermal and Redox Stimuli

Kaihuan Zhang, Minmin Zhang, Xueling Feng, Mark A. Hempenius, and G. Julius Vancso

Advanced Functional Materials, in press.